

# progesterone, micronized vaginal insert (ENDOMETRIN)

## Diagnosis Considered for Coverage:

- Female infertility
- Patient with short cervix and is using progesterone to prevent preterm delivery

#### Coverage criteria:

### 1. For prevention of preterm birth in member currently pregnant:

- Patient has short cervix, and
- Dose does not exceed 200 mg (2 inserts) per day.

Coverage Duration: 6 months

### 2. For assistance with getting pregnant:

- Dose does not exceed 300 mg (3 inserts) per day, and
- One of the following conditions:
  - Presence of luteal phase defect with documented low progesterone level, or
  - History of miscarriages or pregnancy loss, or
  - Assisted reproductive technology (ART) treatment in patients with infertility benefit.

Coverage Duration: through benefit year

#### Coverage Duration: see coverage criteria

#### References:

- 1. Endometrin (progesterone) Prescribing Information. Parsippany, NJ. Ferring Pharmaceuticals. 01/2018
- **2.** ACOG Practice Bulletin No. 234. American College of Obstetricians and Gynecologists. Obstet Gynecol 2021; 138: e65–90.4.
- 3. Wise J. NICE recommends progesterone to prevent early miscarriage. BMJ 2021; 375: n2896.5.
- **4.** Devall AJ, Papadopoulou A, Podesek M, et al. Progestogens for preventing miscarriage: a network meta-analysis. Cochrane Database Syst Rev 2021; 4:CD013792.

Effective Date: 6/28/2023