



Dear Blue Shield Network IPA/Medical Group:

As you may be aware, Blue Shield has redesigned our IPA Validation Roster Update Process and the spreadsheet collection tool. This new spreadsheet is attached to the validation request you received. The spreadsheet was redesigned to support the automated uploading of data into our system. Moving forward, you will use this spreadsheet to send updates back to Blue Shield.

Attached, are instructions to help you complete your IPA Validation Roster. Please read these carefully as the format of the spreadsheet has changed significantly. Over time, completing this document will become second nature, but for now, these instructions will help you produce a zero-defect roster.

The high-level steps you will follow are:

1. Open the spreadsheet using the password that was previously shared with you. If you do not have a password, please reply to this email and an updated password will be sent to you.
2. Follow the instructions to validate the data Blue Shield has on file for your practitioners. As part of the validation process, you may need to add or update data if it is incorrect or missing.
3. Return the file with the updates by clicking "Reply" to the original Blue Shield email, attaching the new roster, and clicking "Send." If you have not made changes to the roster, please indicate this in the body of the email.

Please email the roster back to BSC_IPA_Rosters@blueshieldca.com within **30 days** of receiving it from Blue Shield.

Please note that with this redesign, the spreadsheet becomes a validation tool only. Adding new practitioners or facilities is now handled outside of the roster by submitting profiles to the PIE Intake Box email address <mailto:BSCPvdrInformationEnrollment@blueshieldca.com>.

In addition to these instructions, a Frequently Asked Questions (FAQ) document is enclosed.

If you have any questions; review the attached instructions, the FAQ, and/or contact your Blue Shield Provider Relations Representative.

Sincerely,
Provider Information and Enrollment
Blue Shield of California

IPA Validation Roster Update Process Instructions
April 2016

Table of Contents

*(Use this table of contents to navigate directly to the information you need.
If you are viewing this online, you can click the topic and go!)*

How these instructions are organized 2

Spreadsheet Overview 2

Tab 1: PRAC IPA..... 6

Tab 1 – PRAC IPA (Blue Shield Prepopulated Data) 6

Tab 1 – PRAC IPA (IPA Entered Data) 7

Tab 2: PRAC IPA Role 9

Tab 2 – PRAC IPA Role (Blue Shield Prepopulated Data) 9

Tab 2 – PRAC IPA Role (IPA Entered Data) 10

Tab 3: PRAC Contact Info 11

Tab 3 – PRAC Contact Info (Blue Shield Prepopulated Data) 11

Tab 3 – PRAC Contact Info (IPA Entered Data) 11

Tab 4: PRAC General..... 12

Tab 4 – PRAC General (Blue Shield Prepopulated Data) 12

Tab 4 – PRAC General (IPA Entered Data) 12

Tab 5: PRAC Language..... 13

Tab 5 – PRAC Language (Blue Shield Prepopulated Data) 13

Tab 5 – PRAC Language (IPA Entered Data) 13

Tab 6: PRAC Location Hours..... 14

Tab 6 – PRAC Location Hours (Blue Shield Prepopulated Data) 14

Tab 6 – PRAC Location Hours (IPA Entered Data) 14

Tab 7: PRAC Hospital 15

Tab 7 – PRAC Hospital (Blue Shield Prepopulated Data) 15

Tab 7 – PRAC Hospital Hours (IPA Entered Data) 15

Appendix 16

New_SPC_Specialty1, 2, & 3 Values – Non MD 16

New_SPC_Specialty1, 2, & 3 Values – MD 17

Language Values 18

IPA Validation Roster Update Process Instructions
April 2016

How these instructions are organized

These instructions start with important general overview information about the IPA Validation Roster Update Excel spreadsheet and then go into detail for each tab. **Tab detail is organized in the following way:**

- A table describing Blue Shield prepopulated data in order of appearance on the tab. These tables are shaded gray, just like in the spreadsheet.
- A table providing definitions and instructions for making changes to editable fields on the tab. These tables have a blue header and are organized in the same order as the tab data.
- An appendix is provided at the end of this document that includes the predefined values you must use for the following fields:
 - New SPC Specialty 1, 2, and 3 (MD and non-MD)
 - Language

Spreadsheet Overview

The spreadsheet is a Microsoft Excel file with seven (7) tabs in the workbook. It has a specific name format beginning with IPA_PRAC, and in the format .xlsx. The seven (7) tabs are:

PRAC IPA	PRAC IPA Role	PRAC Contact Info	PRAC General	PRAC Language	PRAC Location Hours	PRAC Hospital
-----------------	---------------	-------------------	--------------	---------------	---------------------	---------------

1. **PRAC IPA** = Termination of all practitioner relationships, or termination of location, or update of panel information
2. **PRAC IPA Role** = Update of existing PCP and/or SPC specialty information
3. **PRAC Contact Info** = Update or addition of phone number, TDD phone, and fax number, plus wheelchair accessibility
4. **PRAC General** = Update of existing physician name, as well as update or addition of gender, email, license, and NPI
5. **PRAC Language** = Addition of new or deletion of existing non-English languages spoken
6. **PRAC Location Hours** = Update of existing hours or addition of new hours of operation by day
7. **PRAC Hospital** = Addition or deletion of existing hospital affiliations

Each tab contains a small grouping of data and displays practitioner information to allow you to connect the practitioner to the associated values Blue Shield has on file at the time the IPA Validation Roster was created for your IPA/Medical Group.

Each tab contains a series of fields that correspond to the tab name. Fields that you cannot edit are shaded gray. This data is prepopulated by Blue Shield. Fields shaded gray on the far right are internal identifiers only. You can ignore these fields.

IPA Validation Roster Update Process Instructions April 2016

Fields that you can edit are shaded white. It is in these fields where you will make necessary updates or complete missing data values.

Certain fields must be completed with Blue Shield predefined values. The instructions will indicate the fields where these are necessary and you will be supplied with the values. The values must be entered exactly as provided. If they are not, the spreadsheet will be returned to you. **Note that the spreadsheet will not tell you if you have entered a value incorrectly.** Here are some examples:

Field	Acceptable Value	Not Acceptable
New Panel Status (is closed)	<ul style="list-style-type: none"> CLO 	<ul style="list-style-type: none"> Clo clo
Suppress from the directory	<ul style="list-style-type: none"> Y N 	<ul style="list-style-type: none"> YES or NO Yes or NO y or n
Specialty	<ul style="list-style-type: none"> Surgery Plastic 	<ul style="list-style-type: none"> Plastic Surgery SURGERY PLASTIC surgery plastic
Language	<ul style="list-style-type: none"> Chinese 	<ul style="list-style-type: none"> chinese China CHINESE

When reviewing and revising the IPA Validation Roster Excel spreadsheet, **the actions below are not allowed:**

- Changing the IPA_PRAC portion of the file name
- Including any information that is not specifically requested / required
- Altering the spreadsheet format such as:
 - Overwriting prepopulated data (gray fields)
 - Moving columns
 - Adding or deleting columns
 - Adding or deleting rows
 - Changing field color

The Excel spreadsheet will come to you protected. As long as the spreadsheet remains protected, it will prohibit you from making the forbidden formatting actions listed above.

You can unprotect EACH sheet in the spreadsheet. Unprotecting a sheet allows the use of the “hide columns” and “filter” functions to help you navigate more complex sheets. However, you lose the formatting protection, so you must be vigilant against taking any of the forbidden actions listed above. If you take one of these actions, the spreadsheet will be returned to you.

You must clear all filters, unhide all columns, and re-protect all sheets before returning the IPA Validation Roster Update spreadsheet to Blue Shield.

IPA Validation Roster Update Process Instructions
April 2016

You are required to email the revised roster – even if no changes have been made – to: BSC_IPA_Rosters@blueshieldca.com within 30 days of your initial receipt. To return the roster, hit “Reply” to the original Blue Shield email, attach the new roster, and click “Send.” If you have not made changes to the roster, please indicate this in the body of the email.

If you have any questions; re-review these instructions, the FAQ, and/or contact your Blue Shield Provider Relations Representative.

IPA Validation Roster Update Process Instructions
April 2016

This page left intentionally blank

IPA Validation Roster Update Process Instructions
April 2016

Tab 1: PRAC IPA

Tab 1 – PRAC IPA (Blue Shield Prepopulated Data)	
Field Name	Description (This data is not editable)
TaxID	Tax number
TINType	SSN or TIN to designate the type of tax number
FacetsID_PracLoc	Internal Blue Shield identifier
LastName	Practitioner's last name
FirstName	Practitioner's first name
MiddleName	Practitioner's middle initial
Address1, Address2, City, State, Zip5	Practitioner's practice address – complete postal information
Network_Code	Internal BSC identifier for the IPA
Network_Description	Internal BSC identifier for the IPA name
Network_Start_Date	Start date of practitioner with the IPA network code
NetLoc_Start_Date	Start date of the practitioner practice address with the IPA
Panel_Start_Date	Start date of the practitioner panel data for the specific practice address with the specified IPA
Panel Field Group	<i>Field groups are fields connected via relationship logic and must be completed together.</i>
• Panel_Status	Kind of membership accepted
• Lowest_Age	Youngest age the practitioner treats
• Highest_Age	Maximum age the practitioner treats
• Gender_Limit	Patient gender the practitioner treats
Columns AB-AG	Blue Shield internal data – please ignore

IPA Validation Roster Update Process Instructions
April 2016

Tab 1 – PRAC IPA (IPA Entered Data)													
Field Name	Description (This data is editable)												
Network_End_Date	Use to indicate that the practitioner is no longer with the IPA/Medical Group, at any location. The date must be: <ul style="list-style-type: none"> • first of the month • greater than the start date • within the 90 day rule 												
NetLoc_End_Date	Use to indicate that the practitioner is no longer with the IPA/Medical group at the specified location. The date must be: <ul style="list-style-type: none"> • first of the month • greater than the start date • within the 90 day rule 												
New_Panel_Start_Date	The start date for the data entered in the Panel Field Group that follows. This field may be left blank.												
Panel Field Group	<i>Field groups are fields connected via relationship logic and must be completed together.</i> In the Panel Field Group, if you enter new data in any one of the fields, you must enter data in all of the fields, even if the current data in those fields is not changing. When this is the case, simply retype the Blue Shield prepopulated data into the empty field.												
<ul style="list-style-type: none"> • New_Panel_Status 	Enter a new Panel Status value by selecting from the list below. Only these values are allowed. Per above instruction, if you enter new data here, you must make a data entry in all Panel Field Group fields. <table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"><u>For</u></th> <th style="text-align: left;"><u>Enter Value</u></th> </tr> </thead> <tbody> <tr> <td>Accepting New and Existing Patients</td> <td>ONE</td> </tr> <tr> <td>Closed</td> <td>CLO</td> </tr> <tr> <td>Open Existing Patients Only</td> <td>OEP</td> </tr> <tr> <td>Open New Patients Only</td> <td>ONP</td> </tr> </tbody> </table>	<u>For</u>	<u>Enter Value</u>	Accepting New and Existing Patients	ONE	Closed	CLO	Open Existing Patients Only	OEP	Open New Patients Only	ONP		
<u>For</u>	<u>Enter Value</u>												
Accepting New and Existing Patients	ONE												
Closed	CLO												
Open Existing Patients Only	OEP												
Open New Patients Only	ONP												
<ul style="list-style-type: none"> • New_Lowest_Age 	Enter a new youngest patient age value. Select from the default values below based on specialty. Remember, if you enter new data here, you must make a data entry in all Panel Field Group fields. <table border="0" style="width: 100%;"> <thead> <tr> <th style="text-align: left;"><u>For</u></th> <th style="text-align: left;"><u>Enter Value</u></th> </tr> </thead> <tbody> <tr> <td>Family Practice</td> <td>Whole # between 0-999</td> </tr> <tr> <td>General Practice</td> <td>Whole # between 0-999</td> </tr> <tr> <td>Internal Medicine</td> <td>Minimum of 18</td> </tr> <tr> <td>Obstetrics / Gynecology</td> <td>Minimum of 18</td> </tr> <tr> <td>Pediatrics</td> <td>Maximum of 18</td> </tr> </tbody> </table>	<u>For</u>	<u>Enter Value</u>	Family Practice	Whole # between 0-999	General Practice	Whole # between 0-999	Internal Medicine	Minimum of 18	Obstetrics / Gynecology	Minimum of 18	Pediatrics	Maximum of 18
<u>For</u>	<u>Enter Value</u>												
Family Practice	Whole # between 0-999												
General Practice	Whole # between 0-999												
Internal Medicine	Minimum of 18												
Obstetrics / Gynecology	Minimum of 18												
Pediatrics	Maximum of 18												

IPA Validation Roster Update Process Instructions
 April 2016

Tab 1 – PRAC IPA (IPA Entered Data)													
Field Name	Description (This data is editable)												
<ul style="list-style-type: none"> New_Highest_Age 	<p>Enter a new oldest patient age value. Select from the default values below based on specialty. Remember, if you enter new data here, you must make a data entry in all Panel Field Group fields.</p> <table border="0"> <tr> <td><u>For</u></td> <td><u>Enter Value</u></td> </tr> <tr> <td>Family Practice</td> <td>Whole # between 0-999</td> </tr> <tr> <td>General Practice</td> <td>Whole # between 0-999</td> </tr> <tr> <td>Internal Medicine</td> <td>Minimum of 18</td> </tr> <tr> <td>Obstetrics / Gynecology</td> <td>Minimum of 18</td> </tr> <tr> <td>Pediatrics</td> <td>Maximum of 18</td> </tr> </table>	<u>For</u>	<u>Enter Value</u>	Family Practice	Whole # between 0-999	General Practice	Whole # between 0-999	Internal Medicine	Minimum of 18	Obstetrics / Gynecology	Minimum of 18	Pediatrics	Maximum of 18
<u>For</u>	<u>Enter Value</u>												
Family Practice	Whole # between 0-999												
General Practice	Whole # between 0-999												
Internal Medicine	Minimum of 18												
Obstetrics / Gynecology	Minimum of 18												
Pediatrics	Maximum of 18												
<ul style="list-style-type: none"> New_Gender_Limit 	<p>Enter a new patient gender value by selecting from the list below. Only these values are allowed. Remember, if you enter new data here, you must make a data entry in all Panel Field Group fields.</p> <table border="0"> <tr> <td><u>For</u></td> <td><u>Enter Value</u></td> </tr> <tr> <td>Both</td> <td>BO</td> </tr> <tr> <td>Male Only</td> <td>MO</td> </tr> <tr> <td>Female Only</td> <td>FO</td> </tr> </table>	<u>For</u>	<u>Enter Value</u>	Both	BO	Male Only	MO	Female Only	FO				
<u>For</u>	<u>Enter Value</u>												
Both	BO												
Male Only	MO												
Female Only	FO												

IPA Validation Roster Update Process Instructions
April 2016

Tab 2: PRAC IPA Role

Tab 2 – PRAC IPA Role (Blue Shield Prepopulated Data)	
Field Name	Description (This data is not editable)
First	Practitioner's first name
Last	Practitioner's last name
Address1, Address2, City, State, Zip5	Practitioner's practice address – complete postal information
NetLoc_Start_Date	Start date of the practitioner practice address with the IPA with the role and specialty
PCP Field Group	<i>Field groups are fields connected via relationship logic and must be completed together.</i>
• PCP_Specialty	If populated, practitioner is on file as a Primary Care Physician (PCP) with the specialty listed. If blank, the practitioner is not on file as a PCP.
• PCP_Directory Suppress	If "Y", the PCP is suppressed from printing in the directory. If "N", the PCP is printed in the directory.
SPC Field Group	<i>Field groups are fields connected via relationship logic and must be completed together.</i>
• SPC_Specialty1	If populated, practitioner is on file as a Specialist (SPC) with the specialty listed. If blank, the practitioner is not on file as a SPC.
• SPC_Directory Suppress1	If "Y", the SPC is suppressed from printing in the directory. If "N", the SPC is printed in the directory.
SPC_Specialty2 SPC_Specialty3	If populated, practitioner is on file as a Specialist (SPC) with the additional specialty(s) listed.
Columns V-Z	Blue Shield internal data – please ignore

IPA Validation Roster Update Process Instructions
April 2016

Tab 2 – PRAC IPA Role (IPA Entered Data)							
Field Name	Description (This data is editable)						
New_NetLoc_Start_Date	Enter the new start date of the Role/Specialty/Directory Suppress combination for the practitioner with the IPA at that location. The date must be: <ul style="list-style-type: none"> • first of the month • greater than the start date • within the 90 day rule 						
PCP Field Group	<i>Field groups are fields connected via relationship logic and must be completed together.</i> In the PCP Field Group, if you enter new data in New_PCP_Specialty, you must enter data in New PCP DirectorySuppress.						
<ul style="list-style-type: none"> • New_PCP_Specialty 	Use this field to update a PCP Specialty . Only these values are allowed: <ul style="list-style-type: none"> • Family Practice • General Practice • Internal Medicine • Obstetrics / Gynecology • Pediatrics 						
<ul style="list-style-type: none"> • New_PCP_DirectorySuppress 	This field must have a value when New_PCP_Specialty has been populated. Only these values are allowed. <table border="0" style="width: 100%;"> <tr> <td style="text-align: left;"><u>For</u></td> <td style="text-align: right;"><u>Enter Value</u></td> </tr> <tr> <td>Suppress from the directory</td> <td style="text-align: right;">Y</td> </tr> <tr> <td>Print in the directory</td> <td style="text-align: right;">N</td> </tr> </table>	<u>For</u>	<u>Enter Value</u>	Suppress from the directory	Y	Print in the directory	N
<u>For</u>	<u>Enter Value</u>						
Suppress from the directory	Y						
Print in the directory	N						
SPC Field Group	<i>Field groups are fields connected via relationship logic and must be completed together.</i> In the SPC Field Group, if you enter new data in New_SPC_Specialty1, you must enter data in New SPC DirectorySuppress1.						
<ul style="list-style-type: none"> • New_SPC_Specialty1 	Enter a new SPC Specialty value by navigating to the Appendix in this document and selecting from values provided. Only these values are allowed.						
<ul style="list-style-type: none"> • New_SPC_DirectorySuppress1 	This field must have a value when New_SPC_Specialty1 has been populated. Only these values are allowed. <table border="0" style="width: 100%;"> <tr> <td style="text-align: left;"><u>For</u></td> <td style="text-align: right;"><u>Enter Value</u></td> </tr> <tr> <td>Suppress from the directory</td> <td style="text-align: right;">Y</td> </tr> <tr> <td>Print in the directory</td> <td style="text-align: right;">N</td> </tr> </table>	<u>For</u>	<u>Enter Value</u>	Suppress from the directory	Y	Print in the directory	N
<u>For</u>	<u>Enter Value</u>						
Suppress from the directory	Y						
Print in the directory	N						
New_SPC_Specialty2 New_SPC_Specialty3	A specialist may have up to three specialties with the IPA at the specified address. Enter a new SPC Specialty value by navigating to the Appendix in this document and selecting from values provided. Only these values are allowed.						

IPA Validation Roster Update Process Instructions
April 2016

Tab 3: PRAC Contact Info

Tab 3 – PRAC Contact Info (Blue Shield Prepopulated Data)	
Field Name	Description (This data is not editable)
First	Practitioner's first name
Last	Practitioner's last name
Address1 Address2 City, State, Zip5	Practitioner's practice address – complete postal information
Wheel Chair	Handicap accessibility indicator, Yes or No
Office_Phone	Phone number to publish for member use
TDD_Phone	Phone number for member use by the deaf or hearing impaired
Fax	Fax number Blue Shield may use to contact the office
Columns P-R	Blue Shield internal data – please ignore

Tab 3 – PRAC Contact Info (IPA Entered Data)	
Field Name	Description (This data is editable)
New_Wheel Chair	Use to change handicap accessibility: enter Yes or No.
New_Office_Phone	Use to update the existing phone number.
New_TDD_Phone	Use to update or add the phone number for member use by the deaf or hearing impaired.
New_Fax	Use to update or add the fax number Blue Shield may use to contact the office.

IPA Validation Roster Update Process Instructions
April 2016

Tab 4: PRAC General

Tab 4 – PRAC General (Blue Shield Prepopulated Data)	
Field Name	Description (This data is not editable)
First	Practitioner's first name
Last	Practitioner's last name
Gender	Practitioner's gender (M or F)
E mail	Practitioner's email that Blue Shield may use to contact the office
License	Practitioner's state issued license number
NPI	Practitioner's Type 1 NPI
Column M	Blue Shield internal data – please ignore

Tab 4 – PRAC General (IPA Entered Data)	
Field Name	Description (This data is editable)
New_First	Use to update the practitioner's first name.
New_Last	Use to update the practitioner's last name.
New_Gender	Use to update or add the practitioner's gender. Enter M for Male or F for Female.
New_Email	Use to update or add the practitioner's email that Blue Shield may use to contact him/her.
New_License	Use to update or add the practitioner's state-issued license number.
New_NPI	Use to update or add the practitioner's Type 1 NPI.

IPA Validation Roster Update Process Instructions
April 2016

Tab 5: PRAC Language

Tab 5 – PRAC Language (Blue Shield Prepopulated Data)	
Field Name	Description (This data is not editable)
First	Practitioner's first name
Last	Practitioner's last name
Language	Practitioner's language(s) spoken other than English plus fields to add new languages. Languages are displayed in the directory.
Columns E	Blue Shield internal data – please ignore

Tab 5 – PRAC Language (IPA Entered Data)	
Field Name	Description (This data is editable)
Language	<p>Use the white shaded fields in this column to add up to three (3) languages.</p> <p>To add languages, navigate to the Appendix in this document and select from values provided under (PRAC Language). Only these languages are allowed.</p> <p>Note, there is no limit to the number of languages stored by Blue Shield but there is a limit to how many may be added using the validation roster.</p>
Remove	Use to remove the listed language by populating this field with an "X".

IPA Validation Roster Update Process Instructions
April 2016

Tab 6: PRAC Location Hours

Tab 6 – PRAC Location Hours (Blue Shield Prepopulated Data)	
Field Name	Description (This data is not editable)
First	Practitioner's first name
Last	Practitioner's last name
Address1 Address2 City, State, Zip5	Practitioner's practice address – complete postal information
Day	Each day of the week is available
Open1	First opening time of the day
Close2	First closing time of the day
Open2	Second opening time of the day (optional)
Close2	Second closing time of the day (optional)
Columns Q-S	Blue Shield internal data – please ignore

Tab 6 – PRAC Location Hours (IPA Entered Data)													
Field Name	Description (This data is editable)												
New_Open1	<p>Use to add or update first opening time of the day for the location. Office hours must be entered as a time following the rules below:</p> <table border="0"> <thead> <tr> <th><u>Format</u></th> <th><u>Rules</u></th> </tr> </thead> <tbody> <tr> <td>• h:mm AM</td> <td>• h must be between 0 and 9</td> </tr> <tr> <td>• h:mm PM</td> <td>• hh must be between 10 and 12</td> </tr> <tr> <td>• hh:mm AM</td> <td>• mm must be number between 0-59</td> </tr> <tr> <td>• hh:mm PM</td> <td>• the smallest time increment is 15 minutes</td> </tr> <tr> <td></td> <td>• If midnight, then use 11:59 PM</td> </tr> </tbody> </table>	<u>Format</u>	<u>Rules</u>	• h:mm AM	• h must be between 0 and 9	• h:mm PM	• hh must be between 10 and 12	• hh:mm AM	• mm must be number between 0-59	• hh:mm PM	• the smallest time increment is 15 minutes		• If midnight, then use 11:59 PM
<u>Format</u>	<u>Rules</u>												
• h:mm AM	• h must be between 0 and 9												
• h:mm PM	• hh must be between 10 and 12												
• hh:mm AM	• mm must be number between 0-59												
• hh:mm PM	• the smallest time increment is 15 minutes												
	• If midnight, then use 11:59 PM												
New_Close1	Use to add or update the first closing time of the day for the location, following the format and rules outlined above.												
New_Open2 New_Close2	These fields are optional. They are used to capture lunch hour closures. If used, Open Time must be after Close1 time and follow the format and rules outlined above.												

IPA Validation Roster Update Process Instructions
April 2016

Tab 7: PRAC Hospital

Tab 7 – PRAC Hospital (Blue Shield Prepopulated Data)	
Field Name	Description (This data is not editable)
First	Practitioner's first name
Last	Practitioner's last name
Hospital Name	The hospital's name plus non-shaded fields to add new hospital affiliations
Hospital NPI	The hospital's NPI plus non-shaded fields to add NPIs for new hospital affiliations
Primary	Hospital affiliation: Y = primary hospital affiliation or N = not the primary hospital affiliation
Start Date	Date on file to indicate the beginning of the practitioner's affiliation to the hospital
Columns I-J	Blue Shield internal data – please ignore

Tab 7 – PRAC Hospital Hours (IPA Entered Data)	
Field Name	Description (This data is editable)
New_Primary	For prepopulated hospital(s), use this field to change the primary indicator from N to Y or Y to N.
End_Date	For prepopulated hospital(s), use this field to terminate the practitioner's affiliation with the hospital.
Add Hospital Field Group	<i>Field groups are fields connected via relationship logic and must be completed together.</i> If you add a hospital in the Hospital Name field, you must enter data in all other fields listed below.
Hospital Name	Use the white shaded fields in this column to add up to three (3) hospital names.
Hospital NPI	Use the white shaded fields in this column to add NPIs for each hospital added under the Hospital Name column. This field will be used to set the relationship of the practitioner to the correct hospital.
New_Primary	Use this to indicate if the new hospital affiliation is a primary affiliation by entering a Y. If not, enter N.
Start_Date	Use this to indicate the start date of the practitioner's affiliation with the hospital.

IPA Validation Roster Update Process Instructions
 April 2016

Appendix

New_SPC_Specialty1, 2, & 3 Values – Non MD

Field	Description	Values
New_SPC_Specialty1	Non MD Specialist Specialty	Chiropractor
		Optometrist
		Podiatrist
		Psychologist
New_SPC_Specialty1	Non MD Specialty (Eligible only if IPA is Medicare)	Physician's Assistant
		Certified Nurse Practitioner
		Registered Physical Therapist
		Occupational Therapist
		Speech Pathologist

New SPC Specialty values continued on next page.

IPA Validation Roster Update Process Instructions
April 2016

New_SPC_Specialty1, 2, & 3 Values – MD

Values A-G	Values G-O	Values O-P	Values P-U
Addictive Medicine	Genetics Clinical Molecular	Ophthalmology / Otology / Laryngology / Rhinology	Psychiatry Geriatric
Adolescent Medicine	Genetics Medical	Otology	Public Health Preventative Medicine
Aerospace Medicine	Gynecologic Oncology	Pathology Anatomic	Pulmonary Diseases
Allergy Immunology	Gynecology	Pathology Anatomic Clinical	Radiation Oncology
Anesthesiology	Hematology / Oncology	Pathology Chemical	Radiological Physics
Anesthesiology Critical Care Medicine	Hematology / Pathology	Pathology Clinical	Radiology
Anesthesiology Pain Management	HIPD Group	Pathology Forensic	Radiology Diagnostic
Blood Banking	HIV AIDS Specialist	Pathology Radioisotopic	Radiology Nuclear
Burn Specialist	Immunopathology	Pediatric Allergy / Immunology	Radiology Therapeutic
Cardiac Electrophysiology	Infectious Disease	Pediatric Cardiology	Rheumatology
Cardiology	Internal Medicine	Pediatric Critical Care Medicine	Sleep Medicine
Cardiovascular Disease	Internal Medicine Critical Care Medicine	Pediatric Diagnostic Laboratory Immunology	Surgery Cardiovascular
Clinical Cytogenetics	Internal Medicine Geriatric Medicine	Pediatric Emergency Medicine	Surgery Colon Surgery
Cytopathology	Internal Medicine Sports Medicine	Pediatric Endocrinology	Surgery General
Dermatology	Maternal Medicine	Pediatric Gastroenterology	Surgery General Vascular
Dermatology Dermatopathology	Medical Oncology	Pediatric Hematology / Oncology	Surgery Hand
Dermatology Immunology	Medical Toxicology	Pediatric Infectious Diseases	Surgery Hand Orthopedic
Dermatology Pathology	Medical Toxicology Emergency Medicine	Pediatric Medical Toxicology	Surgery Hand Plastic
Diabetes Specialist	Microbiology Medical	Pediatric Nephrology	Surgery Head
Diagnostic Laboratory Allergy / Immunology	Neonatal / Perinatal Medicine	Pediatric Orthopedics	Surgery Neurological
Emergency Medicine	Nephrology	Pediatric Pathology	Surgery Orthopedic
Endocrinology Metabolism	Neurology	Pediatric Pulmonology	Surgery Pediatric
Endocrinology Reproductive	Neurology Child	Pediatric Rheumatology	Surgery Plastic
Family Practice	Neurology Critical Care Medicine	Pediatric Sports Medicine	Surgery Thoracic
Family Practice Geriatric Medicine	Neuropathology	Pediatrics	Surgery Trauma / Critical Care
Family Practice Sports Medicine	Neurophysiology Clinical	Physical Medicine / Rehabilitation	Surgical Oncology
Gastroenterology	Nuclear Medicine	Preventative Medicine General	Undersea Medicine
General Practice	Obstetrics	Psychiatry	Urology
Genetics Clinical	Obstetrics / Gynecology	Psychiatry Child	
Genetics Clinical	Occupational Medicine	Psychiatry Forensic	

IPA Validation Roster Update Process Instructions
April 2016

Language Values

Field	Values	Values	Values	Values	Values
Add Language	Afrikaans	Filipino	Italian	Pakistan	Swatow
	Amharic	Flemish	Japanese	Persian	Swedish
	Armenian	French	Kannada	Polish	Tamil
	Arabic	Fukienese	Kiswahili	Portuguese	Telugu
	Assyrian	Gaelic	Konkani	Punjabi	Tagalog
	Asyriac	German	Korean	Romanian	Thai
	Bengali	Greek	Latin	Russian	Taiwanese
	Bulgarian	Gujarati	Lao	Swahili	Tongan
	Burmese	Hakka	Latvian	Serbo-Croatian	Toishanese
	Cantonese	Hebrew	Malayalam	Serbian	Turkish
	Chinese	Hindi	Mien	Shanghaiese	Twi
	Cambodian	Hmong	Malagasy	Sindhi	Ukrainian
	Czech	Hindustani	Mandarin	Sinhala	Urdu
	Danish	Hungarian	Malay	Slavak	Vietnamese
	Dutch	Ibo	Navajo	Samoan	Yiddish
	Egyptian	Indonesian	Nepali	Sign Language	Yugoslavian
	Ewe	Ilocana	Nigerian	South Indian	Zairean
	Farsi	Isujarati	Norwegian	Spanish	Zuni