

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**



**Benefit Policy**

<b>1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]</b>		
<b>Group Plans (**)</b>	<b>Effective Date*</b>	<b>Last Update:</b>
Commercial Lines of Business	Effective date, July 2, 2012, or upon renewal	September 11, 2024

**Description**

This policy incorporates the Affordable Care Act (ACA) of the health reform legislation, adopting United States (US) Preventive Services Task Force (USPSTF) recommendations; the US Department of Health and Human Services, Health Resources and Services Administration (HRSA) recommendations for infants, children, adolescents and women; immunizations recommended by the Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control and Prevention (CDC), Bright Future for Infants and Children, and additional requirements mandated by the state of California\*\*\*.

The USPSTF has been conducting rigorous reviews of research evidence to create evidence-based recommendations for preventive services since 1984. The recommendations are intended to improve health outcomes from heart disease, cancer, infectious diseases, and other conditions and events that impact the health of children, adolescents, adults, and pregnant women. The USPSTF recommendations are routinely used to provide high-quality and appropriate preventive care. All recommendations are linked to a letter grade that reflects the magnitude of net benefit and the strength and certainty of the evidence supporting the provision of a specific preventive service. Aligning with the ACA of the Health Care Reform legislation, the recommendations with a grade of A and B (recommended) have been adopted by Blue Shield of California (BSC). Additional evidence-based preventive care services and screenings provided for in the comprehensive guidelines supported by HRSA and immunizations recommended by ACIP have been adopted by BSC.

**Policy**

These preventive care services, when criteria are met and the primary reason for the visit is preventive care, will be provided under the preventive care services benefits with no cost-sharing to the member, when applicable procedure code and diagnosis codes are billed. When the primary reason for a visit is non-preventive, however, the entire visit will be provided under the medical benefit of the member’s plan, and cost sharing may apply per member benefits.

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

### **Annual Health Appraisal - [USPSTF (2012) & HRSA (2016)]**

Annual Health Appraisal is a covered service for all patients:

- Annual preventive care visits for adult, well woman and adolescents
- Scheduled well baby visits

Annual health appraisal visits are a covered service across the lifetime of the individual.

The primary purpose of these visits should be the delivery and coordination of recommended preventive services as determined by age and risk factors.

Applicable ICD-10 diagnoses codes – Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.3, Z01.411, Z01.419, Z01.42, Z13.1, Z13.21, Z13.228, Z13.29, Z13.30, Z13.39, Z13.41, Z13.42, Z32.00, Z32.01, Z76.1, Z76.2, Z82.2, Z91.81

Applicable procedure codes – 81000, 81001, 81002, 81003, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, G0101, S0302, S0610, S0612, S0613

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code– 0300, 0307, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780

### **Adverse Childhood Experiences Screening (ACE Screening)– SB 428 (2022)**

Adverse Childhood Experience is defined as an event, series of events or set of circumstances that is experienced by an individual as physically or emotionally harmful or threatening and that has lasting adverse effects on the individuals functioning and physical, social, or spiritual well-being. ACE Screenings and re-screenings are covered for the following individuals:

- Once a year for individuals 21 years of age or younger
- Once in a lifetime for individuals 22 years of age and older

Applicable ICD-10 diagnosis codes – Z02.84, Z55.6, Z59.10, Z59.11, Z59.12, Z59.19, Z59.41, Z59.48, Z59.811, Z59.812, Z59.819, Z62.21, Z62.22, Z62.810, Z62.811, Z62.812, Z62.813, Z62.814, Z62.815, Z62.819, Z62.820, Z62.821, Z62.822, Z62.823, Z62.831, Z62.832, Z62.833, Z62.892, Z63.0, Z63.31, Z63.32, Z63.4, Z63.5, Z63.71, Z63.72, Z63.79, Z63.8, Z63.9, Z64.0, Z64.1, Z65.0, Z65.4, Z65.5, Z69.010, Z69.020, Z69.11, Z69.81, Z72.51, Z72.52, Z72.53, Z81.1, Z81.3, Z81.4, Z81.8, Z86.51, Z86.59, Z91.410, Z91.411, Z91.412, Z91.419, Z91.42, Z91.49, Z91.51, Z91.52, Z91.85

Applicable procedure codes - G9919, G9920

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code– 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780

## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

### Abdominal Aortic Aneurysm: Screening - [USPSTF (2014)]

Screening for abdominal aortic aneurysm (AAA) is a covered service for patients who meet all the following criteria:

- 65 to 75 years of age
- History of smoking
- One-time screening
- Performed by ultrasonography

Applicable ICD-10 diagnosis codes – F17.200, F17.201, F17.203, F17.208, F17.209, F17.210, F17.211, F17.213, F17.218, F17.219, F17.290, F17.291, F17.293, F17.298, F17.299, Z87.891

Applicable procedure codes - 76706

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code– 0402, 0770

### Adolescent Alcohol Use: Screening - (Bright Futures), Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions - [USPSTF (2013) (2018)], Unhealthy Drug Use: Screening [USPSTF (2020)], Adolescent Substance Use: Screening - (Bright Futures)

#### Criteria for Screening for Adolescent Alcohol Use:

Screening for alcohol use in primary care for all adolescents 10 to 21 years of age.

Screenings should be performed as part of an age-appropriate comprehensive history and/or when the following risk factors have been identified:

Risk factors are as follows:

- A family history of substance use or mood disorders.
- Poor parental supervision and household disruption are associated with involvement in substance use and other risky behaviors.
- Low academic achievement and/or academic aspirations.
- Untreated attention-deficit disorder (ADD) and attention-deficit/hyperactivity disorder (ADHD)
- Perceived peer acceptance of substance use, and substance use in peers.

#### Criteria for Screening and Behavioral Counseling Interventions for Unhealthy Alcohol Use in Adolescents and Adults:

Screening for unhealthy alcohol use in primary care settings in adults, including pregnant women; and providing persons engaging in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use.

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

Screening and behavioral counseling interventions in primary care to reduce alcohol misuse are a covered service for:

- All adults and pregnant individuals

Applicable ICD-10 diagnosis codes for Screening for Adolescent Alcohol Use & Screening and Behavioral Counseling Interventions for Unhealthy Alcohol Use in Adolescents and Adults - F10.10, F10.120, F10.129, F10.90, F10.929, Z71.41, O99.310, O99.311, O99.312, O99.313

Applicable procedure codes for Screening for Adolescent Alcohol Use & Screening and Behavioral Counseling Interventions for Unhealthy Alcohol Use in Adolescents and Adults 99408, 99409, G0396, G0397, G2011, G0442 and G0443

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code for Screening for Adolescent Alcohol Use & Screening and Behavioral Counseling Interventions for Unhealthy Alcohol Use in Adolescents and Adults – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780

### **Criteria for Screening for Unhealthy Drug Use:**

Screening for unhealthy drug use should be by asking questions, in children, adolescents and adults ages 10 years or older, including pregnant or postpartum persons.

Screening does not apply to those adolescents or adults who have a current diagnosed drug use disorder or are currently undergoing or have been referred for drug use treatment.

“Unhealthy drug use” is defined as the use of substances (not including alcohol or tobacco products) that are illegally obtained or the nonmedical use of prescription psychoactive medication: that is, use of medications for reasons, for duration, in amounts, or with frequency other than prescribed or by persons other than the prescribed individual.

The screening is a covered service for patients who meet any of the following:

- Individuals ages 10 and older
- Pregnant and postpartum persons

### **Criteria for Screening for Adolescent Substance Use:**

Screening for substance use in primary care for all adolescents 12 to 21 years of age.

Screenings should be performed as part of an age-appropriate comprehensive history and/or when the following risk factors have been identified:

Risk factors are as follows:

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

- A family history of substance use or mood disorders.
- Poor parental supervision and household disruption are associated with involvement in substance use and other risky behaviors.
- Low academic achievement and/or academic aspirations.
- Untreated attention-deficit disorder (ADD) and attention-deficit/hyperactivity disorder (ADHD)
- Perceived peer acceptance of substance use, and substance use in peers

Applicable ICD-10 diagnosis codes for Unhealthy Drug Use and Screening for Adolescent Substance Use – Z00.00, Z00.01, Z01.411, Z01.419, Z71.51, O99.320, O99.321, O99.322, O99.323

Applicable procedure codes for Unhealthy Drug Use and Screening for Adolescent Substance Use– 99408, 99409, G0396, G0397

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code for Unhealthy Drug Use and Screening for Adolescent Substance Use– 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780

(Screening for Adolescent Alcohol, Unhealthy Alcohol Use in Adolescents and Adults, Unhealthy Drug Use and Adolescents Substance use can also be included during the Annual Health Appraisal)

### **Alpha-Fetoprotein – [SB75] – Retired (September 2022)**

Alpha-fetoprotein testing is a screening test which helps to identify pregnant women who are at increased risk of having a baby with a birth defect.

Alpha-fetoprotein testing is a covered service for patients who meet the following criteria:

- All pregnant individuals between 15- and 20-weeks' gestation—once per pregnancy

Alpha-Fetoprotein has been retired. Please refer to the Prenatal Screening Program.

### **Prenatal Screening Program – [CA Health & Safety Code 1367.54 (2022)]**

Prenatal screening which helps to identify pregnant women who are at increased risk of having a baby with a birth defect are covered benefit for:

- All pregnant individuals between 10- and 21-weeks' gestation—once per pregnancy

Applicable ICD-10 diagnosis codes – Z36.0, Z36.1, Z36.2, Z36.3, Z36.4, Z36.5, Z36.81, Z36.82, Z36.83, Z36.84, Z36.85, Z36.86, Z36.87, Z36.88, Z36.89, Z36.8A, Z36.9

Applicable procedure codes – 81420, 82105, 0327U

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0309, 0310, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770

### **Anemia - [Bright Futures]**

Screening, annually, for iron deficiency anemia is a covered service for patients who meet the following criteria:

- Ages newborn to 19 years of age

Applicable ICD-10 diagnosis codes – Z00.110, Z00.111, Z00.121, Z00.129, Z13.0, Z76.2

Applicable procedure codes – 85018, 36415, 36416 (preventive benefits apply to 36415 or 36416 when 36415 or 36416 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0305, 0306, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770

### **Aspirin Use to Prevent Preeclampsia and Related Morbidity and Mortality: Preventive Medication - [USPSTF (2017) (2021)]**

The services below are considered inclusive in the preventive care visit or included as part of their prenatal visits, and therefore not separately reimbursable.

- Pregnant Women Who are at High Risk for Preeclampsia---Potential benefit with the use of low-dose aspirin (81 mg/d) as preventive medication after 12 weeks of gestation in women who are at high risk for preeclampsia

Applicable ICD-10 diagnosis codes – None

Applicable procedure codes – None

(This is a pharmacy benefit)

### **Asymptomatic Bacteriuria in Adults- [USPSTF (2008) (2019)]**

Screening for asymptomatic bacteriuria, through urine culture, is a covered service for patients who meet either of the following criteria:

- Pregnant individuals at 12 to 16 weeks' gestation
- Pregnant individuals at their first prenatal visit, if after 16 weeks' gestation
- Pregnant adolescents ages 10 years and older

Applicable ICD-10 diagnosis codes – Pregnancy diagnosis code (see list below)

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

Applicable procedure codes – 81007, 87081, 87084, 87086, 87088

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0306, 0307, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770

### **Breast Cancer Screening: Mammogram - [USPSTF (2009) & HRSA (2016)]**

Screening for breast cancer is a covered service for patients who meet all the following criteria:

- 40 years and older
- Performed every 1 to 2 years

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z01.411, Z01.419, Z12.31, Z12.39, Z85.3, Z80.3

Applicable procedure codes - 77067, 77063

Please note that 77063 is an add-on code

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0403, 0770

### **Breastfeeding - [USPSTF (2016) & HRSA (2016) (2022)]**

USPSTF recommends providing interventions during pregnancy and after birth to support breastfeeding. Interventions include breastfeeding support during pregnancy and through the early life of the child. Clinicians can support women directly or through referral, to help women make an informed choice about breastfeeding and breastfeeding benefits.

HRSA recommends comprehensive lactation support services (including consultation, counseling, education by clinicians and peer support services, and breastfeeding equipment and supplies) during the antenatal, perinatal, and the postpartum period to ensure the successful initiation and maintenance of breastfeeding.

Primary care interventions to promote breastfeeding are a covered service for patients who meet either of the following criteria:

- During pregnancy
- After birth

Please Note--Lactation support services are considered inclusive in the maternal care visits and annual health appraisals, and therefore not separately reimbursable.

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

Applicable counseling codes – 99401, 99402, 99403, 99404 with diagnosis code of Z39.1 with the following revenue codes-0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0761, 0769, 0770, 0780

Applicable procedure codes –A4281, A4282, A4283, A4284, A4285, A4286, E0602\*, E0603\*, K1005

Applicable revenue codes for Breast Pump Rental/Purchase when billed with an applicable CPT/HCPCS Procedure code – 0270, 0271, 0272, 0290, 0294, 0942

- E0602 & E0603 allowed as purchase only.
- HCPCS Code E0604 is a hospital grade breast pump and is not covered.

### **BRCA-Related Cancer: Risk Assessment, Genetic Counseling, and Genetic Testing - [USPSTF (2013) (2019)]**

USPSTF recommends screening women with a personal or family history of breast, ovarian, tubal, or peritoneal cancer or who have an ancestry associated with breast cancer susceptibility 1 and 2 (BRCA ½) gene mutations with an appropriate brief familial risk assessment tool. Women with positive screening results should receive genetic counseling and, if indicated after counseling, genetic testing.

This service is included as part of the Preventive Benefit, per ACA, with no cost-sharing by members, if medically necessary – please see BSC medical policy Genetic Testing for Hereditary Breast and/or Ovarian Cancer):

- Personal or family history associated with an increased risk for deleterious mutations in BRCA1 or BRCA2 genes

Applicable ICD-10 diagnosis codes – Z80.3, Z80.41, Z80.49, Z85.3, Z85.43, Z85.44, Z15.01, Z15.02, Z15.04, Z71.83, Z78.0, Z86.000, Z86.001

Applicable procedure codes – 36415, 81162, 81163, 81164, 81165, 81166, 81167, 81211, 81212, 81215, 81216, 81217, 81307, 81308, 81432, 81433, 81479, 96040, S0265, 0102U, 0103U, 0129U, 0131U, 0132U, 0135U, 0138U, 0172U, 99401, 99402, 99403, 99404 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0306, 0309, 0310, 0319, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780, 0940, 0942, 0949

(BRCA assessment, genetic counseling and testing can also be included during the Annual Health Appraisal)

### **Breast Cancer: Medications for Risk Reduction - [USPSTF (2013) (2019)]**

The USPSTF recommends that clinicians offer to prescribe risk-reducing medications, such as tamoxifen, raloxifene, or aromatase inhibitors, to women who are at increased risk for



## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

breast cancer and at low risk for adverse medication effects, also includes asymptomatic women 35 years and older, including women with previous benign breast lesions on biopsy (such as atypical ductal or lobular hyperplasia and lobular carcinoma in situ) to all individuals who meet all of the following criteria:

- At high risk for breast cancer
- At low risk for adverse medication effects

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z01.411, Z01.419, Z15.01, Z80.3, Z86.000, D24.1, D24.2, D24.9, N60.01, N60.02, N60.09, N60.11, N60.12, N60.19, N60.21, N60.22, N60.29, N90.31, N60.32, N60.39, N60.41, N60.42, N60.49, N60.81, N60.82, N60.89, N60.91, N60.92, N60.99

Applicable procedure codes – 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769 0770, 0780

(Screening and discussion can also be included during the Annual Health Appraisal)

### **Cervical Cancer (Pap smear) Screen, including Human Papillomavirus (HPV) Screening - [USPSTF (2012) (2018), HRSA (2016) and Bright Futures]**

Screening for cervical cancer is a covered service for patients who meet all the following criteria:

- Women aged 12 to 29 years.
- Individuals who have a cervix
- Within three years of onset of sexual activity Age 21 if not sexually active by age 18 years. Service covered-once every 3 years with cytology alone.

Screening for cervical cancer is a covered service for patients who meet at least one of the following criteria:

- Women aged 30 to 65 years.
- Every 3 years with cytology alone
- Every 3 years with high-risk HPV testing alone
- Every 3 years with co-testing (high-risk HPV testing with cytology)

\*Please note-- Human papillomavirus (HPV) is a covered service for patients who are age 30 years and older, in conjunction with cervical cancer screening (Pap smear), covered once every 3 years.

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z01.42, Z11.3, Z11.4, Z11.51, Z11.59, Z11.8, Z11.9, Z12.4, Z12.72, Z20.2, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z72.51, Z72.52, Z72.53, Z71.7, Z72.89, Z77.21, Z77.9, Z91.89, Z86.001

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

Cervical Cancer Screening applicable procedure codes – 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, G0476, Q0091, P3000, P3001

\*Screening for human papillomavirus (HPV) is a covered service for patients who meet all the following criteria:

- Sexually active
- Age 30 years of age and older
- And in conjunction with cervical cancer screening (Pap smear)

\* HPV screening with cervical cancer screening is allowed once every 3 years.

HPV applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z01.42, Z11.3, Z11.4, Z11.51, Z11.59, Z11.8, Z11.9, Z12.4, Z12.72, Z20.2, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z71.7, Z72.51, Z72.52, Z72.53, Z72.89, Z77.21, Z77.9, Z91.89, Z86.001

HPV screening applicable procedure codes – 87623, 87624, 87625, G0476, 0500T

Applicable revenue codes for Cervical Cancer and HPV Screening when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0306, 0309, 0310, 0311, 0319, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0770, 0923

### **Chlamydia (STD) Infection and Gonorrhea Screening- [SB 306 (2023), USPSTF (2014) (2021) Bright Futures]**

Screening for Chlamydia infection and/or gonorrhea is a covered service for patients who meet any of the following criteria:

Sexually active individuals aged 10 years and older.

Sexually active asymptomatic individuals aged 24 years and older with any of the following risk factors:

- History of Chlamydia, Gonorrhea, or other sexually transmitted infection
- New or multiple sexual partners
- Inconsistent condom use
- Commercial sex worker
- Drug use

Pregnant individuals in a high-risk group:

- At first prenatal visit
- Second screening during the third trimester for those who are at continued risk or who acquire a new risk factor.

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

Home Test Kits are covered when ordered and purchased by an in-network provider for Syphilis, Chlamydia, Gonorrhea, HIV and other STIs.

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.2, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z71.7, Z72.51, Z72.52, Z72.53, Z72.89, Z77.21, Z77.9, and pregnancy diagnosis code (see list below)

Applicable procedure codes – 86631, 86632, 87110, 87205, 87210, 87270, 87320, 87490, 87491, 87492, 87590, 87591, 87563, 87592, 87660, 87661, 87800, 87808, 87810, 87850

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0306, 0309, 0310, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0770

**Colorectal Cancer - [USPSTF (2016) (2021) (2022) and State Mandate AB 342]**

Screening for colorectal cancer is a covered service for patients who meet either of the following criteria:

- Adults 45 to 75 years of age
- Beginning age and screening intervals can be reduced for patients at high risk for colorectal cancer any of the following procedures and intervals:
  - Fecal occult blood performed annually.
  - Screening barium enemas every 5 years
  - Sigmoidoscopy performed every 5 years.
  - Colonoscopy performed every 10 years
  - Multi-targeted stool DNA testing every 3 years.

“High Risk for developing colorectal cancer” is defined in the Code of Federal Regulations (CFR) at 42 CFR 410.37(a)(3)

Applicable ICD-10 diagnosis codes for non-high-risk screening – Z12.11, Z12.12

\*\*High Risk ICD-10 diagnosis codes:

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
Z80.0	Z83.79	Z85.030	Z85.038	Z85.060	Z85.068	Z86.010	Z85.048	K50.00	K50.10
K50.80	K50.90	K51.00	K51.20	K51.30	K51.40	K51.50	K51.80	K51.90	C18.0
C18.2	C18.3	C18.4	C18.5	C18.6	C18.7	C18.8	C19	C20	C21.0
C21.1	C21.2	C21.8	C49.A3	C49.A4	C49.A5	C7A.021	C7A.022	C7A.023	C7A.024
C7A.025	C7A.026	C78.5	D01.0	D01.1	D01.2	D01.3	D12.0	D12.1	D12.2
D12.3	D12.4	D12.5	D12.6	D12.7	D12.8	D12.9	D13.91	D13.99	D3A.021
D3A.022	D3A.023	D3A.024	D3A.025	D3A.026	D3A.029	D37.1	D37.2	D37.3	D37.4
D37.5	D37.9	D49.0	K50.011	K50.012	K50.013	K50.014	K50.018	K50.019	K50.111

## 1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

K50.112	K50.113	K50.114	K50.118	K50.119	K50.811	K50.812	K50.813	K50.814	K50.818
K50.819	K50.911	K50.912	K50.913	K50.914	K50.918	K50.919	K51.011	K51.012	K51.013
K51.014	K51.018	K51.019	K51.211	K51.212	K51.213	K51.214	K51.218	K51.219	K51.311
K51.312	K51.313	K51.314	K51.318	K51.319	K51.411	K51.412	K51.413	K51.414	K51.418
K51.419	K51.511	K51.512	K51.513	K51.514	K51.518	K51.519	K51.811	K51.812	K51.813
K51.814	K51.818	K51.819	K51.911	K51.912	K51.913	K51.914	K51.918	K51.919	K52.0
K52.1	K52.89	K52.9	K57.20	K57.21	K57.30	K57.31	K57.32	K57.33	K57.40
K57.41	K57.50	K57.51	K57.52	K57.53	K57.80	K57.81	K57.90	K57.91	K57.92
K57.93	K62.0	K62.1	K62.6	K63.3	K63.5	Z08	Z09	Z15.09	Z83.710
Z83.718	Z83.719	Z85.00	Z85.05	Z86.004	Z87.19				

Applicable procedure codes – 00811\*\*, 00812\*\*, 00813\*\*, 45330, 45331, 45332, 45333, 45335##, 45338, 45378, 45380, 45381, 45384, 45385, 74280, 81528, 82270, 82274, 88305, 99152, 99153, G0104, G0105, G0106, G0120, G0121, G0328, G0500, J0300, J2175, J2180, J2250, J2251, J2704, J3010++, J3360, S0285

00811\*\*, 00812\*\*, 00813\* (Optional Modifier 33) is only applicable when Medical Criteria has been met.

45335## is only applicable when Medical Criteria has been met. Please see Medical Policy for Injectable Bulking Agents for the Treatment of Urinary and Fecal Incontinence.

J3010++ is only applicable when Medical Criteria has been met.

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0250, 0258, 0300, 0301, 0305, 0309, 0310, 0312, 0319, 0320, 0329, 0360, 0361, 0369, 0370, 0371, 0372, 0379, 0490, 0499, 0500, 0509, 0510, 0517, 0519, 0520, 0521, 0523, 0529, 0636, 0710, 0750, 0760, 0761, 0769, 0770, 0780, 0960, 0963, 0964, 0975, 0982, 0983

Modifier 33 or PT have been created to append to services furnished in connection with or in relation to a colorectal cancer screening test that starts as preventive and becomes diagnostic. BSC recognizes this modifier for claims billed for preventive services as outlined in this policy and will process accordingly if performed on the same date of service and in the same encounter.

The 33 modifier will be recognized and accepted with the use of the following codes: 45330, 45331, 45332, 45333, 45335, 45338, 45378, 45380, 45381, 45384, 45385, 82274, G0500.

The PT modifier will be recognized and accepted with the use of the following codes: 00811, 45330, 45331, 45332, 45333, 45335, 45338, 45378, 45380, 45381, 45384, 45385, 88305

## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

### Contraception - [HRSA (2016) (2022)]

The full range of female contraceptives approved, granted, or cleared by the Food and Drug Administration, which include but not limited to hormonal methods such as birth control and vaginal rings, implanted devices such as intrauterine devices (IUD), barrier methods such as diaphragms and sponges, emergency contraception, female sterilization procedures, patient education and counseling related to birth control.

Covered benefits apply to:

- All female individuals of reproductive capacity (Adolescents and adult) Contraceptive care should include contraceptive counseling, screening, education, provision of contraceptives (including in the immediate postpartum period), initiation of contraceptive use, and follow-up care (e.g., management, evaluation, and changes, including the removal, continuation, and discontinuation of contraceptives).

Applicable ICD-10 diagnosis codes – Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.2, Z30.40, Z30.41, Z30.42, Z30.430, Z30.431, Z30.432, Z30.433, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z92.0, Z98.51, Z97.5, T83.31XA, T83.31XD, T83.31XS, T83.32XA, T83.32XD, T83.32XS, T83.39XA, T83.39XD, T83.39XS

Applicable CPT/HCPCS codes: A4261, A4264, A4266, A4267, A4268, A4269, J1050, J3490, J7294, J7295, J7296, J7297, J7298, J7300, J7301, J7304, J7306, J7307, S0190, S0191, S4981, S4989, S4993, 00851, 00940, 00952, 0567T, 0568T, 11976, 11981, 11982, 11983, 57170, 58300, 58301, 58340, 58565, 58600, 58605, 58611, 58615, 58661, 58670, 58671, 58700, 74740, 81025, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412

\*Please note--Emergency contraception is allowed when the emergency drug (Ulipristal acetate)-CPT code S4993 is administered in an office or outpatient setting

96372 is allowable with all the diagnosis listed when billed with J1050.

96372 is allowable when billed with J3490 and diagnosis code Z30.012

Applicable ICD-10 procedure codes – 0U570ZZ, 0U573ZZ, 0U574ZZ, 0U577ZZ, 0U578ZZ, 0UL70CZ, 0UL70DZ, 0UL70ZZ, 0UL73CZ, 0UL73DZ, 0UL73ZZ, 0UL74CZ, 0UL74DZ, 0UL74ZZ, 0UL77DZ, 0UL77ZZ, 0UL78DZ, 0UL78ZZ

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0250, 0270, 0272, 0278, 0279, 0300, 0307, 0320, 0329, 0360, 0361, 0369, 0370, 0371, 0372, 0379, 0450, 0451, 0452, 0456, 0459, 0490, 0499, 0500, 0509, 0510, 0511, 0512, 0513, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0529, 0636, 0760, 0761, 0762, 0769, 0770, 0780

\*Revenue codes 0450, 0451, 0452, 0456, 0459, 0516, and 0526 are only allowed for removal of contraception devices or implants.

(Contraception counseling can also be included during the Annual Health Appraisal)

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

### **COVID-19 Vaccine [SB 510 [(2020) (2021) (2022)]**

United States Preventive Services Task Force (USPSTF) and Center for Disease Control (CDC) recommends individuals be vaccinated to mitigate the spread and prevent COVID19. FDA has approved and recommends vaccines be given as a covered service for all patients who meet the criteria as established by the Center for Disease Control (CDC), the Advisory Committee on Immunization Practices (ACIP), utilizing standard industry coding.

Before vaccination, providers should counsel COVID-19 vaccine recipients, parents, or guardians about possible post-vaccination reactions. Vaccines and immunization counselling will be covered at no cost under the Preventive Benefit (see Appendix for codes)

- All adults
- Pregnant women
- Infants, young children, and adolescents

### **Depression and Suicide Risk in Adults: Screening - [USPSTF (2016) (2023) Bright Futures (2022)], Depression and Suicide Risk in Children and Adolescents: Screening – [USPSTF (2016) (2022) Bright Futures (2022)], Screening for Anxiety Disorders in Children, Adolescents and Adults – [HRSA (2020) USPSTF (2022) (2023) Bright Futures (2022)]**

#### **Criteria for Screening for Depression and Suicide Risk in Adults:**

Clinicians should screen for major depression disorder in individuals who do not have a diagnosed mental health disorder or recognizable signs or symptoms of depression or suicide risk.

Screening is a covered service for:

- All adults including pregnant and postpartum women.
- To achieve the benefit of depression screening and reduce disparities in depression- associated morbidity, it is important that persons who screen positive are evaluated further for diagnosis and, if appropriate, are provided or referred for evidence-based care.

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

### **Criteria for Screening for Depression and Suicide Risk in Children and Adolescents:**

Screening for major depressive disorder (MDD) is a covered service for children and adolescents who do not have a diagnosed mental health condition or are not showing recognized signs or symptoms of depression or suicide:

- All children and adolescents (12 years to 21 years of age)

### **Criteria for Screening for Anxiety in Children, Adolescents and Adults:**

The Women's Preventive Services Initiative recommends screening for anxiety in adolescent and adult women, including those who are pregnant or postpartum. Optimal screening intervals are unknown and clinical judgement should be used to determine screening frequency. Given the high prevalence of anxiety disorders, lack of recognition in clinical practice, and multiple problems associated with untreated anxiety, clinicians should consider screening women who have not been recently screened.

The USPSTF recommends screening for anxiety disorders in adults, including pregnant and postpartum, children and adolescents who do not have a diagnosed mental health disorder or are not showing recognized signs and symptoms of anxiety. Conditions reviewed should include generalized anxiety disorder, social anxiety disorder, panic disorder, and anxiety not otherwise specified.

Screening instruments may be utilized for detecting anxiety. The optimal interval is unknown. Repeated screening may be most productive in adolescents with risk factors for anxiety. Opportunistic screening may be appropriate for adolescents, who may have infrequent health care visits.

Clinicians may consider screening for anxiety in conjunction with screening for depression, which is recommended by the USPSTF, because of the frequent co-occurrence of anxiety and depressive disorders.

This is a covered service for:

- Children and adolescents, age 8 to 21 years
- Adults, pregnant and nonpregnant women ages 10 and older

Applicable ICD-10 diagnosis codes – Z13.30, Z13.31, Z13.32, Z13.39, and Pregnancy diagnosis code (see list below)

Applicable procedure codes –96127, 96160, 96161, G0444, S3005

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0760, 0761, 0769, 0780, 0940, 0949

(Depression, Suicide and Anxiety screening can also be included during the Annual Health Appraisal)

Page 15 of 75

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

### **Perinatal Depression: Preventive Interventions – [USPSTF (2019)]**

Clinicians should provide or refer pregnancy and postpartum persons who are at increased risk of perinatal depression to counseling interventions is a covered service for:

- Pregnant women
- Persons who are less than 1 year postpartum
- Does not have a current diagnosis of depression.
- Increased risk of developing depression

Applicable ICD-10 diagnosis codes – Z13.32, Z34.00, Z34.01, Z34.02, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, Z39.2, Z86.59

Applicable procedure codes – 99401, 99402, 99403, 99404, 96156, 96158, 96159, 96164, 96165, 96167, 96168, 96170, 96171

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780, 0920, 0940, 0949

### **Developmental/Autism and Behavioral/Social/Emotional Screening - [Bright Futures (2019) (2022)]**

Screening for developmental/autism is a covered service for asymptomatic patients age 0 to 2.5 years of age/30 months of age.

Clinicians should provide developmental surveillance and screening using standardized screening or assessment instruments.

- Assessment for children age 0 and 2.5 years of age/30 months of age
- Screening should be performed at the 9-month visit
- Screening should be performed at 18-month visit (includes Autism Spectrum Disorder screening)
- Screening should be performed at 2.5 year / 30 months of age visit (includes Autism Spectrum Disorder screening)

Following the 2½-year visit, administer a validated, standardized, and accurate screening test at all annual health supervision visits based on developmental surveillance and clinical judgment. The tests should be broad in scope, meaning that they sample all developmental domains.

Clinicians should provide behavioral/social/emotional screening using a standardized screening or assessment instrument. These screenings or assessments should focus on key symptoms related to behavioral, social, or emotional conditions.

Behavioral/social/emotional screenings are a covered service for asymptomatic patients-age 0 to 21 years of age.



## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

Applicable procedure code for Behavioral/Social/Emotional Screening: 96127

Applicable ICD 10 diagnosis codes for Behavioral/Social/Emotional Screening: Z13.41 and Z13.42

Applicable ICD 10 diagnosis code for Autism and Developmental Screening: Z00.121, Z00.129, Z13.39, Z13.40, Z13.41, Z13.42 and Z13.49

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0770, 0780

(Developmental/Autism and behavioral/social/emotional screening can also be performed during the Annual Health Appraisal)

### **Fall Prevention in Community-Dwelling Older Adults: Interventions - [USPSTF (2012, 2018)]**

Preventive care visits to discuss exercise interventions to prevent falls is a covered service for patients who meet all the following criteria (OTC medications are not a covered benefit):

- Community-dwelling adults (excluding institutionalized, facility-based adults, such as those in Skilled Nursing Facilities)
- Aged 65 years or older.
- At increased risk for fall

Applicable ICD-10 diagnosis codes – Z91.81

Applicable procedure codes – 97110, 97112, 97113, 97116, 97150, 97161, 97162, 97163, 97164, 97530, G0159, S8990, S9131

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0420, 0421, 0422, 0424, 0429, 0500, 0509, 0510, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0977

### **Folic Acid for the Prevention of Neural Tube Defects: Preventive Medication-[USPSTF (2009) (2017)]**

Discussion of the use of 0.4 to 0.8 mg daily of folic acid is a covered benefit for all patients who meet the following criteria (OTC medications are not a covered benefit):

- Planning or capable of pregnancy

These services are considered inclusive in the preventive care visit, and therefore not separately Reimbursable.

Applicable ICD-10 diagnosis codes – None

Applicable procedure codes – None

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

### **Screening For Diabetes in Pregnancy- [USPSTF (2014) & HRSA (2016) (2019) (2021) (2023)]**

Screening pregnant women for gestational diabetes is a covered service for asymptomatic pregnant individuals who meet any of the following criteria:

- 2 screenings per pregnancy between 24-28 weeks of gestation (or later in persons who enter prenatal care after 28 weeks of gestation)
- At the first prenatal visit for women identified to be at high risk for diabetes
- This applies to all individuals, age 12 years and older.

Applicable ICD-10 diagnosis codes – Z86.32, Pregnancy diagnosis code (see list below)

Applicable procedure codes – 82947, 82948, 82950, 82951, 82952, 83036, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0309, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0770

### **Gonorrhea (STD) - [USPSTF (2014)]**

Gonorrhea (STD) has been combined with the Chlamydia (STD) Infection category, as of September 2019.

Please refer to the Chlamydia category for criteria.

### **Healthy Diet and Physical Activity for Cardiovascular Disease Prevention in Adults with Cardiovascular Risk Factors/Abnormal Blood Glucose Screening/Obesity: Behavioral Counseling - [USPSTF (2014) (2020)]**

Offering or referring adults aged 18 years and older, with cardiovascular disease risk factors (known hypertension or elevated blood pressure, elevated lipid levels or dyslipidemia, and mixed or multiple risk factors (e.g., metabolic syndrome or estimated 10-year CVD risk of  $\geq 7.5\%$ ) to behavioral counseling interventions to promote a healthful diet and physical activity for CVD prevention.

Applicable ICD-10 diagnosis codes- E78.00, E78.01, E78.1, E78.2, E78.3, E78.41, E78.49, E78.5, E78.6, E88.81, E88.810, E88.811, E88.818, E88.819, E88.89, E88.9, I10, I15.0, I15.1, I15.2, I15.8, I15.9, R03.0

Applicable procedure codes – 99401, 99402, 99403, 99404, 99411, 99412, 97802, 97803, 97804, G0446

\*\*97802, 97803, 97804-only allowable with the following DX codes-E78.2, E78.3, E78.41, E78.49, E78.5, E78.6, E88.81, E88.810, E88.811, E88.818, E88.819

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780

(Healthy Diet and Physical Activity for CVD Prevention in Adults with Cardiovascular Risk Factors: Behavioral Counseling can also be included during Annual Health Appraisal)

### **Healthy Weight and Weight Gain in Pregnancy: Behavioral Counseling Interventions – [USPSTF (2021)]**

The USPSTF recommends that clinicians offer pregnant persons effective behavioral counseling interventions aimed at promoting healthy weight gain and preventing excess gestational weight gain in pregnancy.

Primary care clinicians can deliver effective in-person behavioral counselling interventions or refer patients to behavioral counselling interventions in other settings.

This applies to all pregnant individuals, age 10 years and older.

Applicable ICD-10 diagnosis codes – Pregnancy diagnosis table (see list below)

Applicable procedure codes – 99401, 99402, 99403, 99404, 99411, 99412, G0473, G0447

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780

(The Healthy Weight screening and counseling can also occur and be inclusive of the prenatal or antepartum care).

### **Hepatitis B Virus Infection in Adolescents and Adults: Screening- [USPSTF (2014) (2020) Bright Futures (2022)]**

Screening and risk assessment for hepatitis B virus infection is a covered service for patients who meet the following criteria:

- Pregnant individuals at their first prenatal visit

Applicable ICD-10 diagnosis codes – Pregnancy diagnosis table (see list below)

Applicable procedure code – 80055, 80074, 80076, 86704, 86705, 86706, 86707, 87340, 87341, 87350, 87467, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0306, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

- Non-pregnant, asymptomatic, adolescents and adults at increased risk for HBV infection- including those who were vaccinated before being screened for HBV infection.

Applicable ICD-10 diagnosis codes – Z00.121, Z00.129, Z72.51, Z72.52, Z72.53, Z77.21, Z57.8, Z00.00, Z00.01, Z11.59, Z11.3, Z20.2, Z20.5

Applicable procedure code – 80074, 80076, 86704, 86705, 86706, 86707, 87340, 87341, 87350, 87467, G0499, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0306, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770

### **Hepatitis C Virus Infection in Adolescents and Adults: Screening - [USPSTF (2013) (2020)]**

Screening for hepatitis C virus infection is a covered service for all asymptomatic adults, including pregnant women, age 12 to 99 years of age, without known liver disease. This is a one-time screening.

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z11.3, Z20.2, Z20.5, Z20.6, Z11.59, Z72.51, Z72.52, Z72.53, Z77.21, Z72.89 and Pregnancy diagnosis table (see list below)

Applicable procedure code – 86803, 86804, 87520, 87521, 87522, 87902, G0472, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0306, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770

### **Hypertension in Adults: Screening – [USPSTF (2015) (2021)]**

Screening for high blood pressure is a covered service for:

- All adults aged 18 years or older
- Annually

The USPSTF recommends screening for hypertension in adults with office blood pressure measurement (OBPM). The USPSTF also recommends obtaining measurements outside of the clinical setting for diagnostic confirmation before starting treatment (Ambulatory Blood Pressure Measurement is payable as preventive as listed below)

Applicable ICD-10 diagnosis codes – R03.0

Applicable procedure codes – 93784, 93786, 93788, 93790, 99473, 99474

(High blood pressure screening can also be included during the Annual Health Appraisal)

## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

### **Hypertensive Disorders of Pregnancy: Screening – USPSTF (2023)**

The USPSTF recommends screening for hypertensive disorder of pregnant persons with blood pressure measurements throughout pregnancy.

- Screening applies to all pregnant women and pregnant persons of all genders without a known diagnosis of a hypertensive disorder of pregnancy or chronic hypertension.
- Blood pressure measurements should be obtained during each prenatal care visit throughout pregnancy. If a patient has an elevated blood pressure reading, the reading should be confirmed with repeated measurements.
- To achieve the benefit of screening, it is important that persons who screen positive receive evidence-based management of hypertensive disorders of pregnancy.

Applicable ICD-10 diagnosis codes – None

Applicable procedure codes – None

This service is considered inclusive in the preventive care visit or included as part of their prenatal visits, and therefore not separately reimbursable.

### **Human Immunodeficiency Virus (HIV) Infection: Screening- [SB 306 (2023), USPSTF (2013) (2019) (2022) & HRSA (2016) (2022) Bright Futures (2023)]**

Home Test Kits are covered when ordered and purchased by an in-network provider for Syphilis, Chlamydia, Gonorrhea, HIV and other STIs.

Screening for human immunodeficiency virus (HIV) is a covered service for patients who meet any of the following criteria:

- Pregnant individuals, including women who present in labor and are untested
- All adolescents and adults aged 10-65 years in age
- All adolescents younger than 10 years of age and adults older than 65 years of age with any of the following risk factors:
  - Receives health care in a high-prevalence or high-risk clinical setting.
  - Men who have had sex with men
  - Individuals having unprotected sex with multiple partners.
  - Past or present injection drug user
  - Commercial sex worker
- Individuals whose past or present sex partners were any of the following:
  - HIV-infected
  - Bisexual individual
  - Injection drug users
- Individuals being treated for sexually transmitted diseases









































## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

O1500	O29099	O3121X4	O34532	O358XX2	O3622X9	O368333	O411490	O4693
O1502	O29111	O3121X5	O34533	O358XX3	O3623X0	O368334	O411491	O4700
O1503	O29112	O3121X9	O34539	O358XX4	O3623X1	O368335	O411492	O4702
O151	O29113	O3122X0	O34591	O358XX5	O3623X2	O368339	O411493	O4703
O159	O29119	O3122X1	O34592	O358XX9	O3623X3	O368390	O411494	O471
O161	O29121	O3122X2	O34593	O359XX0	O3623X4	O368391	O411495	O479
O162	O29122	O3122X3	O34599	O359XX1	O3623X5	O368392	O411499	O480
O163	O29123	O3122X4	O3460	O359XX2	O3623X9	O368393	O418X10	O481
O169	O29129	O3122X5	O3461	O359XX3	O364XX0	O368394	O418X11	O6000
O200	O29191	O3122X9	O3462	O359XX4	O364XX1	O368395	O418X12	O6002
O208	O29192	O3123X0	O3463	O359XX5	O364XX2	O368399	O418X13	O6003
O209	O29193	O3123X1	O3470	O359XX9	O364XX3	O368910	O418X14	O88011
O210	O29199	O3123X2	O3471	O35AXX0	O364XX4	O368911	O418X15	O88012
O211	O29211	O3123X3	O3472	O35AXX1	O364XX5	O368912	O418X19	O88013
O212	O29212	O3123X4	O3473	O35AXX2	O364XX9	O368913	O418X20	O88019
O218	O29213	O3123X5	O3480	O35AXX3	O365110	O368914	O418X21	O88111
O219	O29219	O3123X9	O3481	O35AXX4	O365111	O368915	O418X22	O88112
O2200	O29291	O3130X0	O3482	O35AXX5	O365112	O368919	O418X23	O88113
O2201	O29292	O3130X1	O3483	O35AXX9	O365113	O368920	O418X24	O88119
O2202	O29293	O3130X2	O3490	O35BXX0	O365114	O368921	O418X25	O88211
O2203	O29299	O3130X3	O3491	O35BXX1	O365115	O368922	O418X29	O88212
O2210	O293X1	O3130X4	O3492	O35BXX2	O365119	O368923	O418X30	O88213
O2211	O293X2	O3130X5	O3493	O35BXX3	O365120	O368924	O418X31	O88219
O2212	O293X3	O3130X9	O3500X0	O35BXX4	O365121	O368925	O418X32	O88311
O2213	O293X9	O3131X0	O3500X1	O35BXX5	O365122	O368929	O418X33	O88312
O2220	O2940	O3131X1	O3500X2	O35BXX9	O365123	O368930	O418X34	O88313
O2221	O2941	O3131X2	O3500X3	O35CXX0	O365124	O368931	O418X35	O88319
O2222	O2942	O3131X3	O3500X4	O35CXX1	O365125	O368932	O418X39	O88811
O2223	O2943	O3131X4	O3500X5	O35CXX2	O365129	O368933	O418X90	O88812
O2230	O295X1	O3131X5	O3500X9	O35CXX3	O365130	O368934	O418X91	O88813
O2231	O295X2	O3131X9	O3501X0	O35CXX4	O365131	O368935	O418X92	O88819
O2232	O295X3	O3132X0	O3501X1	O35CXX5	O365132	O368939	O418X93	O91011
O2233	O295X9	O3132X1	O3501X2	O35CXX9	O365133	O368990	O418X94	O91012
O2240	O2960	O3132X2	O3501X3	O35DXX0	O365134	O368991	O418X95	O91013
O2241	O2961	O3132X3	O3501X4	O35DXX1	O365135	O368992	O418X99	O91019
O2242	O2962	O3132X4	O3501X5	O35DXX2	O365139	O368993	O4190X0	O91111
O2243	O2963	O3132X5	O3501X9	O35DXX3	O365190	O368994	O4190X1	O91112
O2250	O298X1	O3132X9	O3502X0	O35DXX4	O365191	O368995	O4190X2	O91113



## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

O2251	O298X2	O3133X0	O3502X1	O35DXX5	O365192	O368999	O4190X3	O91119
O2252	O298X3	O3133X1	O3502X2	O35DXX9	O365193	O3690X0	O4190X4	O91211
O2253	O298X9	O3133X2	O3502X3	O35EXX0	O365194	O3690X1	O4190X5	O91212
O228X1	O2990	O3133X3	O3502X4	O35EXX1	O365195	O3690X2	O4190X9	O91213
O228X2	O2991	O3133X4	O3502X5	O35EXX2	O365199	O3690X3	O4191X0	O91219
O228X3	O2992	O3133X5	O3502X9	O35EXX3	O365910	O3690X4	O4191X1	O92011
O228X9	O2993	O3133X9	O3503X0	O35EXX4	O365911	O3690X5	O4191X2	O92012
O2290	O30001	O318X10	O3503X1	O35EXX5	O365912	O3690X9	O4191X3	O92013
O2291	O30002	O318X11	O3503X2	O35EXX9	O365913	O3691X0	O4191X4	O92019
O2292	O30003	O318X12	O3503X3	O35FXX0	O365914	O3691X1	O4191X5	O92111
O2293	O30009	O318X13	O3503X4	O35FXX1	O365915	O3691X2	O4191X9	O92112
O2300	O30011	O318X14	O3503X5	O35FXX2	O365919	O3691X3	O4192X0	O92113
O2301	O30012	O318X15	O3503X9	O35FXX3	O365920	O3691X4	O4192X1	O92119
O2302	O30013	O318X19	O3504X0	O35FXX4	O365921	O3691X5	O4192X2	O9220
O2303	O30019	O318X20	O3504X1	O35FXX5	O365922	O3691X9	O4192X3	O9229
O2310	O30021	O318X21	O3504X2	O35FXX9	O365923	O3692X0	O4192X4	O98011
O2311	O30022	O318X22	O3504X3	O35GXX0	O365924	O3692X1	O4192X5	O98012
O2312	O30023	O318X23	O3504X4	O35GXX1	O365925	O3692X2	O4192X9	O98013
O2313	O30029	O318X24	O3504X5	O35GXX2	O365929	O3692X3	O4193X0	O98019
O2320	O30031	O318X25	O3504X9	O35GXX3	O365930	O3692X4	O4193X1	O98111
O2321	O30032	O318X29	O3505X0	O35GXX4	O365931	O3692X5	O4193X2	O98112

### Covid Immunization / Vaccine code table

CPT/HCPCS code	CPT/HCPCS code
91304	D1705
91318	D1706
91319	D1707
91320	D1708
91321	D1709
91322	D1710
D1701	D1711
D1702	D1712
D1703	D1713
D1704	D1714

## 1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

### Covid Immunization / Vaccine Administration code table

CPT/HCPCS
90480
M0201

### Preventive Immunization / Vaccination code table

CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS
90380	90649	90676	90700	90747
90381	90650	90677	90702	90748
90476	90651	90678	90707	90750
90477	90653	90679	90710	90756
90587	90654	90680	90713	90759
90619	90655	90681	90714	D1781
90620	90656	90682	90715	D1782
90621	90657	90684	90716	D1783
90623	90658	90685	90723	Q2034
90624	90660	90686	90732	Q2037
90630	90661	90687	90733	Q2038
90632	90662	90688	90734	Q2039
90633	90664	90689	90736	
90634	90670	90694	90739	
90636	90672	90696	90740	
90644	90673	90697	90743	
90647	90674	90698	90744	
90648	90675	90700	90746	

### Preventive Immunization / Vaccine Administration and Vaccine Counseling code table

CPT/HCPCS	CPT/HCPCS	CPT/HCPCS
90460	90472	D1301
90461	90473	G0008
90471	90474	G0010
96380	96381	

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

**Policy Guidelines**

The appropriate preventive service codes should be billed when preventive services are performed. Unless limitations are noted above, services are available as appropriate.

Over the counter (OTC) medications are not a covered benefit.

The AMA/CPT has created Modifier 33 for preventive services. BSC recognizes this modifier for claims billed for preventive services as outlined in this policy and will process accordingly.

Effective for claims with dates of service on or after January 1, 2018, prolonged preventive services will be payable by Blue Shield when billed as an add-on to an applicable preventive service, and both deductible and coinsurance do not apply.

Blue Shield will apply correct coding rules from industry standard sources such as;

Center for Medicare & Medicaid Services (CMS) and American Medical Association (AMA), to the claims adjudication process.

The materials provided to you are guidelines used by this plan to authorize, modify, or deny care for persons with similar illness or conditions. Specific care and treatment may vary depending on individual need and the benefits covered under your contract. These Policies are subject to change as new information becomes available.

**Medical Policy Application**

For most services, a medical necessity determination by Blue Shield according to medical policy is not required. The services that require determination of medical necessity are noted in the Policy Section above.

**Definitions**

**Asymptomatic:** Having no symptoms.

**Medically Necessary:** A treatment, procedure or drug is medically necessary only when it has been established as safe and effective for the symptoms or diagnosis, is not investigational or experimental, is not being provided primarily for the convenience of the patient or the provider and is provided at the most appropriate level to treat the condition.

**Rationale & References**

Covered preventive health services are based on the recommendations of:

- The United States Preventive Services Task Force (USPSTF) in “The Guide to Clinical Preventive Services”. <http://www.ahrq.gov/clinic/uspstfix.htm#pocket>

## 1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

- The U.S. Department of Health and Human Services, Health Resources and Services Administration (HRSA) comprehensive guidelines. <https://www.hrsa.gov/womensguidelines2016/index.html>
- The Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control and Prevention (CDC). <http://www.cdc.gov/vaccines/acip/index.html>
- The U.S. Department of Health and Human Services, Health Resources and Services Administration (HRSA) comprehensive guidelines for infants, children, adolescents, and women. <http://mchb.hrsa.gov/>
- USPSTF Published Recommendations, Index: <http://www.uspreventiveservicestaskforce.org/BrowseRec/Index/browserecommendations>
- American Academy of Pediatrics / Bright Futures / Recommendations for Pediatric Preventive Healthcare. (For ages 0-21) <https://brightfutures.aap.org/materialsandtools/PerfPrevServ/Pages/default.aspx>

### Policy History

This section provides a chronological history of the activities, updates and changes that have occurred with this Benefit Policy.

Effective Date	Action	Reason
10/1/2010	New Policy adoption	Preventive Health Guidelines
1/1/2011	Coding Update	Administrative Review
2/22/2011	Criteria Revised to align with USPSTF recommendations	Administrative Review
5/25/2011	Coding Update	Administrative Review
7/1/2011	Coding Update	Administrative Review
7/22/2011	Coding Update	Administrative Review
9/1/2011	Criteria Revised to align with USPSTF recommendations	Administrative Review
1/6/2012	Criteria Revised to align with USPSTF recommendations	Administrative Review
7/1/2012	Clarification of effective date	Administrative Review
7/17/2012	Criteria Revised to align with USPSTF recommendations	Administrative Review

## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

8/1/2012	Criteria Revised to align with USPSTF recommendations	Administrative Review
10/31/2012	Criteria Revised to align with USPSTF recommendations, coding update	Administrative Review
3/1/2013	Added link for ACIP guidelines	Administrative Review
6/15/2013	Coding Update	Administrative Review
9/1/2013	Criteria Revised to Align with USPSTF recommendations, coding update	Administrative Review
1/1/2014	Coding Update	Administrative Review
3/1/2014	Coding Update	Administrative Review
4/11/2014	Coding Update	Administrative Review
5/1/2014	Coding Update	Administrative Review
7/15/2014	Coding Update	Administrative Review
9/30/2014	Coding Update	Administrative Review
1/15/2015	Criteria added for Aspirin and CVD Risk Factors to Align with USPSTF, coding update	Administrative Review
4/30/2015	ICD-10 codes added in the policy, & 2015 code updates	Administrative Review
5/8/2015	ICD-9 and ICD-10 codes updated for "Behavioral Counseling for Prevention of CVD"	Administrative Review
8/19/2015	Aligned the policy in accordance with USPSTF Preventive Benefits Changed title from "Preventive Health Services Including Women's Preventive" Explained age criteria for Developmental Screening Added 2016 New Code 0403T to Behavioral Counseling for CVD	Administrative Review
10/30/2015	Added G0464 to Colorectal Cancer Screening	Administrative Review

## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

3/1/2016	<p>Anemia – Added 80081  BRCA Mutation – Added 81162  Colorectal CA Screening - Replaced G0464 with 81528  Contraception - Added J7297, J7298 and removed J7302.  Diabetes Mellitus – Added 83036, ICD-9 Dx (278.00, 278.01, 278.02, 278.03), and ICD-10 Dx (E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9)  Gestational DM – Added 83036  Hepatitis B (Pregnant) – Added 80081  HIV – Added 80081 and G0475  HPV – Added G0476  Lung Cancer Screening – Added G0296, G0297 and V15.82  Rh (D) – Added 80081  Syphilis – Added 80081  Visual Impairment – Added 99177  Immunizations - Removed 90645, 90646, 90669, 90703, 90704, 90705, 90706, 90708, 90712, 90719, 90720, 90721</p>	Administrative Review
----------	---	-----------------------

## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

4/1/2016	<p>Annual Health Appraisal – Updated Dx V19.2  Autism: Changed Age criteria to 18- and 30-months  Behavioral counseling for prevention of CVD: ICD-10 codes and CPT codes updated  Breastfeeding: E0604 removed from coverage as preventive  Colorectal CA Screening – Added 45349, 45390 and  Dx codes Z80.0, Z83.71, Z83.79, Z85.038, Z86.010  Contraception – Removed A4264  Diabetes: Added 82950 and 82951  Tuberculosis: Removed children as criteria  Pregnancy diagnosis code table added: Applies to Anemia screening,  Asymptomatic bacteriuria, Chlamydia infection, Syphilis, Gonorrhea, gestational diabetes, Hepatitis B virus, Rh (D) incompatibility Screening  Diabetes Diagnosis code Table added: Applies to Behavioral counseling for CVD  Atherosclerosis diagnosis code table added: Applies to Behavioral counseling for CVD  Lung Cancer: S8032 Removed effective 09.30.2016.  Syphilis Screening: ICD-10 code updates Tobacco Cessation: Updated guideline for 2015.  Sexually Transmitted Infection: ICD-10 Code updates  Pregnancy Diagnosis Table: ICD-10 Code updates  Diabetes Diagnosis Table: ICD-10 code updates  Immunizations – Added 90674, 90682, 90750 effective 01.01.2017</p>	Administrative Review
7/1/2017	<p>Aspirin Use to Prevent Cardiovascular Disease and Colorectal Cancer: Preventive Medication - NEW USPSTF recommendation for aspirin use in adults 50-59 years with risk factors such as CVD or CRC  Colorectal Cancer Screening: G0464, 81528 applicable to all LOBs.  Chlamydia Screening - Added ICD-10 code updates Gonorrhea Screening- Added ICD-10 code updates Hepatitis C Screening – Added ICD-10 code updates HIV Screening – Added ICD-10 code updates Syphilis Screening - NEW USPSTF recommendation for asymptomatic, nonpregnant</p>	Administrative Review

## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

	adults and adolescents who are at increased risk for syphilis infection Tuberculosis Screening: NEW USPSTF recommendation for latent tuberculosis infection in population at increased risk Behavioral Counseling for CVD: ICD-10 codes removed.	
1/1/2018	Breast Cancer Mammogram: G0202 expired. Contraception: J7296 added. Colorectal Cancer Screening: 00810 expired, 00811 and 00812 added Lead Screening: Age criteria and diagnosis codes updated Annual Health Appraisal: 99401, 99402, 99403, 99404, 99411, 99412 added Behavioral Counseling Interventions - CVD: Age criteria added. ICD-10 code added back to Policy which got omitted in last update. USPSTF ACIP: 90756 added Add-on Codes: G0513 and G0514 added.	Administrative Review
4/1/2018	Pre-Eclampsia Screening-new requirement. USPSTF-screening using blood pressure measurement throughout prenatal visits Skin Cancer-Behavioral Counseling: Age criteria updated (6months to 24 years) Immunization appendix: 90682 is FDA approved now. * removed from code in table Immunization: Link updated Fall Prevention: Removed Vitamin D supplementation language per USPTF	Administrative Review
7/11/2018	Breast Pump-remove home grown code of Z0012	Administrative Review



## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

10/1/2018	<p>Cervical Cancer Screen—remove 88154 (deleted 1/1/2018)</p> <p>Behavioral Counseling for Prevention of CVD—Remove G0447-not appropriate for this benefit</p> <p>Obesity Screening—Removed G0446</p> <p>Breastfeeding Counseling-Remove Homegrown code of Z0012</p> <p>Colorectal Screening-added G0500, 00813, 99152, 99153</p> <p>Hepatitis B-Pregnant-Added 86704, 86705, 86706</p> <p>Depression-Added Dx Codes-Z13.31</p> <p>Autism-Added DX code Z13.41</p> <p>Domestic and Interpersonal Violence- Added Z04.81</p> <p>Pregnancy Diagnosis Table: ICD-10 code updates.</p>	Administrative Review
10/1/2019	<p>Asymptomatic Bacteriuria—CPT Code 36415 was removed-not appropriate for this benefit</p> <p>Autism—CPT code 99381 and 99391 were removed— not appropriate for this benefit</p> <p>BRCA Mutation Testing—CPT codes 81211, 81213, 81214 removed-deleted as of 1/1/2019. CPT codes 81163, 81164, 81165, 81166, 81167 added-new codes.</p> <p>Cervical Cancer (Pap smear) Screen—New language added to benefit-age criteria broken into 2 different age groups. New ICD-10 codes added-- Z12.72, Z12.79, Z12.89, Z72.51, Z72.52, Z72.53, Z77.21, Z77.29, Z91.89, Z92.89.</p> <p>New CPT code added-87624. New HCPCS code added-G0476. New Revenue Codes added—0300, 0301, 0306</p>	Administrative Review

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

<p>05/01/2019</p>	<p>Chlamydia (STD) Infection—CPT code 36415 removed-not appropriate for benefit Gonorrhea (STD)—CPT code 36415 removed-not appropriate for benefit Lipid Disorders—New ICD-10 code Z13.6 added. New CPT code 83722 added Osteoporosis Screening—CPT code 77085 added.                  Pregnancy Diagnosis Table: ICD-10 code updates. Annual Health Appraisal-Added language to reflect hearing loss in adults. Added age parameters of 3 years of age, for 99173. Removed G0402, 99172, 99497, 99498, 92558-these codes are not appropriate for category. 92551, 92552, 92553—age updated to reflect 18 years and older. Added-revenue code 0770                  Abdominal Aortic Aneurysm—title updated to include screening. Added revenue code 0770                  Alcohol Use—title update to “Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions. Updated age to reflect 12 years and older, instead of 18. Removed Z13.89. Added G2011-new code Anemia-updated words “21 years of age”. Added 85013-new code Aspirin-title updated “Aspirin Use to Prevent CVD and Colorectal Cancer: Preventive Medication.” Language updated to reflect USPSTF language. Removed the pregnancy language- moved to new Preeclampsia category Asymptomatic Bacteriuria-title updated to include “in Adults.” Added language to reflect “Pregnant adolescents ages 12 years and older” Autism-updated age to reflect 0 to 3 years of age (instead of months). Added language for screening at 9 months and 18 months visits. Removed CPT codes 99382 and 99392-not appropriate. Added CPT code 96110 Behavioral Counseling for Preventive of CVD-title updated to “Healthful Diet and Physical Activity for Cardiovascular Disease preventive in Adults with Cardiovascular Risk. Factors: Behavioral</p>	<p>Administrative Review</p>
-------------------	---	------------------------------

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

	<p>Counseling.” Removed G0270, G0271, 0403T, S9470-not appropriate. Remove rev codes 0914, 0915, 0916-not appropriate</p> <p>Blood Pressure-title updated to include “High Blood Pressure Screening-in Adults.”</p> <p>Removed revenue codes 0480, 0920, 0969, 0983</p> <p>Breast Cancer Mammogram-title updated to include “Breast Cancer Screening: Mammogram.”</p> <p>Breastfeeding-language updated to reflect “Lactation support services are inclusive in maternal care visits and annual health appraisal.</p> <p>Removed listed ICD-10 DX codes updated to reflect “ALL” DX codes.</p> <p>Removed 99201,99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412-not appropriate. Removed revenue codes 0271, 0272-not appropriate</p> <p>BRCA Mutation Testing—title update to include “BRCA-Related Cancer: Risk Assessment, Genetic counseling, and Genetic Testing. Language updated to reflect USPSTF language. CPT codes 81432 and 81433 added-new codes.</p> <p>Chemoprevention of Breast Cancer-title updated to “Breast Cancer: Medications for Risk Reduction.”</p> <p>Language updated to reflect USPSTF language.</p> <p>Chlamydia (STD) Infection-added “years” to age 24. Add asymptomatic to sexually active, per USPSTF and added “years” to age 25.</p> <p>Cervical Cancer (Pap Smear) Screen-title updated to “Cervical Cancer (Pap smear) Screen, including Human Papillomavirus (HPV) Screening. Combined the criteria of both cervical cancer and HPV-into one category.</p> <p>Colorectal Cancer-removed CPT code 88304-not appropriate.</p> <p>Contraception-updated reproductive capacity language “Adolescents and adult).</p> <p>Updated contraceptive care language to reflect USPSTF language. Depression-added new language regarding perinatal depression to reflect USPSTF language. Blood Pressure-title updated to include “High Blood Pressure Screening-in Adults.”</p>	
--	---	--

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

	<p>Removed revenue codes 0480, 0920, 0969, 0983  Breast Cancer Mammogram-title updated to include  “Breast Cancer Screening: Mammogram.”  Breastfeeding-language updated to reflect  “Lactation support services are inclusive in maternal care visits and annual health appraisal.  Removed listed ICD-10 DX codes updated to reflect “ALL” DX codes.  Removed 99201,99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412-not appropriate.  Removed revenue codes 0271, 0272-not appropriate  BRCA Mutation Testing—title update to include  “BRCA-Related Cancer: Risk Assessment, Genetic counseling, and Genetic Testing. Language updated to reflect USPSTF language. CPT codes 81432 and 81433 added-new codes.  Chemoprevention of Breast Cancer-title updated to “Breast Cancer: Medications for Risk Reduction.”  Language updated to reflect USPSTF language.  Chlamydia (STD) Infection-added “years” to age 24. Add asymptomatic to sexually active, per USPSTF and added “years” to age 25.  Cervical Cancer (Pap Smear) Screen-title updated to  “Cervical Cancer (Pap smear) Screen, including Human Papillomavirus (HPV) Screening. Combined the criteria of both cervical cancer and HPV-into one category.  Colorectal Cancer-removed CPT code 88304-not appropriate.  Contraception-updated reproductive capacity language “Adolescents and adult).  Updated contraceptive care language to reflect USPSTF language. Depression-added new language regarding perinatal depression to reflect USPSTF language.  Abnormal Blood Glucose and DM Screening-removed the 18 years of age criteria and DX codes— not appropriate.  Removed 83036 with DX Z00.00, Z00.01, Z01.411, Z01.419, Z13.1  Domestic and Interpersonal Violence-title updated</p>	
--	--	--

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

	<p>to “Intimate Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults Screening.” Added language that these services will pertain to individuals 12 years and older.</p> <p>Added DX codes Z69.010, Z69.81. Removed CPT code 90792, 97802, 97803, 97804, G0270, and G0271-not appropriate.</p> <p>Fall Prevention-updated language to reflect exercise interventions. Removed physical therapy language. Gestational Diabetes-added language to reflect Asymptomatic pregnant individuals. Added language to reflect 2 screenings per pregnancy. Gonorrhea added language to reflect asymptomatic individuals.</p> <p>Gonococcal Ophthalmia Neonatorum-title updated to reflect “Ocular Prophylaxis for Gonococcal Ophthalmia Neonatorum: Preventive Medication. Language updated to reflect “For prevent” and removed “for.”</p> <p>Hear loss—title updated to reflect “Screening for Hearing Loss in Children,” per USPSTF. Added language under newborn typically administered during the initial hospital newborn care. Added language children and adolescents 0 to 18 years-Pure tone audiometry and tympanometry.</p> <p>Added DX codes Z82.2, Z00.121, Z00.129. Added CPT codes 92552 and 92567. Hepatitis B Virus. Added G0499 and revenue code 0770. Hepatitis C Virus-Language updated to reflect “This is a one-time screening, for adults born between 1945 and 1965. Added revenue code 0770. Removed revenue codes 096X, 097X, 098X.</p> <p>Human Immunodeficiency Virus (HIV)Language added to reflect “Pregnant individuals, including women who present in labor and are untested.” Remove DX code Z71.7-not appropriate. Revenue code added-0770</p> <p>Lipid Disorder-removed ICD-10 DX codes and CPT procedure, and revenue codes (category inactive by USPSTF 2008).</p> <p>Lung Cancer-removed procedure codes 0174T, 0175T, 71250, 71260, 71270, S8092-not appropriate.</p> <p>Obesity Screening-title updated to reflect “Obesity in Children and Adolescents: Screening.” Removed</p>	
--	---	--

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

	<p>the adult criteria and formed a new category per USPSTF. Language updated to reflect “Screening for obesity in children and adolescents.” Removed DX codes-Z00.00, Z00.01, Z01.411, Z01.419, Z01.42—not appropriate for children. Removed 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, G0473not appropriate</p> <p>Osteoporosis Screening-language changed from “less” to “younger” for age 65.</p> <p>Revenue code 0770 added. Added CPT codes 78350 and 78351.</p> <p>PKU-Added CPT code 36416</p> <p>New Category-Pre-Eclampsia: Screening. Created a new category to separate the information on pre- eclampsia from high blood pressure-Per USPSTF recommendation. No new information added.</p> <p>Sexually transmitted infections/disease-title updated to reflect “STI/STF Behavioral counseling. Added language to reflect “adolescents (younger than age 25 years). Removed DX code Z71.7-not appropriate.</p> <p>Skin Cancer-title updated to reflect “Skin Cancer Prevention: Behavioral Counseling.” Language added to reflect “young adults, adolescents, children, and parents of young children.” Updated language to reflect “24 years”.</p> <p>Syphilis Screening-removed CPT codes 87205, 87210, 87800, and 87801-not appropriate.</p> <p>Tobacco Screening-title updated to reflect “Tobacco Smoking Cessation in Adults, Including Pregnant Women: Behavioral and Pharmacotherapy Interventions.” Updated language to reflect USPSTF language.</p> <p>Removed DX codes F17.201, F17.211, F17.221, F17.291, Z13.83-not appropriate.</p> <p>Tobacco Use in Children and Adolescents split tobacco into Adults and Children. Added the language to Children section, added DX codes and procedure codes. Tuberculosis Screening-title updated to reflect “Latent Tuberculosis Screening.” Removed DX codes R76.11, R76.12-not appropriate. Remove CPT code 36415-not appropriate. Removed revenue codes-not appropriate</p> <p>Visual Impairment-change the age parameters to 3</p>	
--	---	--

## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

	<p>to 18 years. Added DX codes Z76.1, Z76.2. Remove CPT code 99172, 99381, 99382, 99391, 99392.</p> <p>New Category—Weight Loss to Prevent Obesity-Related Morbidity and Mortality in Adults: Behavioral Interventions. No new information added- just split obesity category into separate categories per USPSTF recommendations.</p>	
7/1/2019	<p>Fall Prevention-added CPT codes 97110, 97112, 97113, 97116, 97150, 97161, 97162, 97163, 97164, 97530, G0151, G0157, G0159, S8990, S9131</p> <p>Newborn Screening Panel-new category. Added language to reflect HRSA requirements—no coding work</p> <p>BRCA-Added 0102U and 0103U-new codes effective July 1, 2019</p>	Administrative Review

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

<p>8/15/2020</p>	<p>Annual Health Appraisal-Remove CPT codes 92551, 92552, 92553, 92558, 99497, 99498, (G0101, G0438, G0439-not commercial related-MCR)          Unhealthy Alcohol Use-Remove DX code Z71.42. Remove CPT codes 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397          Autism Screening-Removed DX code F84.0, F84.9, and Z13.89.          Healthful Diet/CVD Prevention- Removed DX code Z13.220, Z71.3, Z72.4, Z87.891. BRCA- Removed DX code Z71.83, not appropriate.          Cervical CA-Removed DX code Z12.79 and Z12.89. Removed CPT code 88155. Removed several DX/CPT combinations-not appropriate combinations.          Chlamydia and Gonorrhea-Removed CPT codes 86631, 86632, 87081, 87800, 87801, 36415. Removed Revenue code 0302.          Colorectal Cancer- Removed CPT code 45334, 45340, 45341, 45342, 45346, 45347, 45349, 45379, 45382, 45386, 45388, 45389, 45390, 45391, 45392, 88304.          Dental caries-Removed DX code Z41.8, Z00.121, and Z00.129.          Depression- Removed CPT code 99401, 99402, 99403, 99404.          Development/Behavioral Disabilities- Removed CPT code 96127. Diabetes Mellitus Type 2- Removed DX code E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9.          Removed CPT code 82948, 82950, 82951, 82952.          Hepatitis C-Updated language to reflect USPSTF recommendations. Removed DX codes-not needed as qualifier. Removed Revenue Code 0390.          High Blood Pressure-Removed R03.0          Human Immunodeficiency (HIV)-Removed DX code Z11.9 and Z77.21.          Intimate Partner Violence, Abuse-Removed DX code Z04.81 and Z69.010.          Obesity in Children- Removed DX code Z71.3.          Osteoporosis- Removed CPT code G0130.</p>	<p>Administrative Review</p>
------------------	--	------------------------------



## 1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>Syphilis Screening-Removed CPT 87081 Pregnancy DX Table-Removed several DX codes.</p>	
<p>11/7/2020</p>	<p>Unhealthy Alcohol use in Adults-Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529. Adolescent Alcohol and Substance Use Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529. Asymptomatic Bacteriuria-Added Rev codes 0307. Breastfeeding-Added HCPCS code K1005. BRCA-Added CPT code 0138U. Breast Cancer-Meds—Removed DX code Z85.3. Chlamydia (STD)-Added CPT code 87563. Colorectal CA-Added DX codes K51.40, K62.0, K62.1, added CPT code 74280. Depression-Adjusted language to align better with USPSTF recommendation (No code changes) Diabetes Mellitus-Added DX codes Z86.32, E28.2 Hepatitis B-Added DX code Z11.3 Hepatitis C-Updated language to align with the USPSTF recommendation. Removed all DX codes (Z00.00, Z00.01, Z01.411, Z01.419, Z20.5, Z72.89, Z77.21, and Preg)-test is now open to anyone age 18 to 79. High Blood Pressure-Added CPT codes 99473, 99474 HIV-Removed DX code Z77.21-not appropriate. Added CPT code 99401, 99402, 99403, 99404. Updated language to align with USPSTF recommendation. Intimate Partner Violence-Removed DX code Z69.010 STI/STD-Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529 Tobacco in Adults—Added DX codes Z71.6, O99.330, O99.331, O99.332, O99.333. Added Rev codes 0510, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0523, 0529.</p>	<p>Administrative Review</p>

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

	<p>Tobacco in Children and Adolescents Added DX code Z71.6. Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529.</p> <p>Tuberculosis-Added Rev code 0519.</p> <p>Unhealthy Drug Use: Screening-New Category Effective June 2020—Added language, Added DX codes, Added CPT codes, Added Rev codes.</p> <p>Visual Impairment-Added DX codes H53.001, H53.002, H53.003, H53.009.</p>	
<p>8/21/2021</p>	<p>Annual Health Appraisal-Added HCPCS code G0101</p> <p>Abnormal Blood Glucose and DM Type 2 Screening-combined the criteria into one category per Task Force (breakout of criteria from Healthful Diet category). Updated the DX codes and CPT codes. Added CPT codes 0403T &amp; 0488T. Removed CPT codes 97801, 97802, 97803-placed these codes under Healthful Diet category.</p> <p>Unhealthy Alcohol Use Adults-Added revenue codes 0510, 0514, 0515, 0517, 0519, 0521, 0523, 0529</p> <p>Adolescents Alcohol and Substance Use: Screening-Added DX codes F11.10, F11.20, F12.10, F12.20, F12.90, F14.10, F14.20, F18.10, F18.90, F19.10, F19.20, F55.8, to align with Bright Future.</p> <p>HPV Screening-Added CPT code 0500T. Cervical CA Screening/HPV Screening- updated age range to reflect 21-999 yrs for G0476.</p> <p>Contraception-Removed Rev codes 0450, 0451, 0452, 0456, 0459, 0516, 0526 from several CPT codes as the procedures were not removal of contraception.</p> <p>Colorectal CA Screening—Added CPT 74280, Modifier 33 to CPT code 82274, updated the intervals for 00811, 00812, 00813, 45330, 45331, 45332, 45333, 45335, 45338, 45378, 45380, 45381, 45384, 45385, 88305, 99152, 99153, J0300, J2175, J2180, J2250, J2704, J3010, J3360, G0105, G0500, S0285, Removed Rev code 0514 (not</p>	<p>Administrative Review</p>

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

	<p>appropriate),                  Depression-Removed DX code Z13.89 (too vague),                  added language for 96127 to reflect Z13.31, Z13.32,                  &amp; Z13.39 only allowable codes for 96127. Dental                  Caries/Oral Fluoride-added Dx Codes Z29.3,                  Z91.841, Z91.842, Z91.843, Z91.849 based on Bright                  Futures guidelines                  Fall Prevention-Added Rev Codes 0424, 0510, 0517,                  0519, 0520, 0521, 0523, 0529.                  Healthful Diet to Prevent CVD-updated the                  language to reflect Task Force recommendations                  (breakout of criteria involving DM Type 2 and                  Weight Loss Adults). Removed several DX codes                  (E66.01, E66.09,                  E66.1, E66.2, E66.3, E66.8, E66.9, F17.200, F17.201,                  F17.203, F17.208, F17.209, F17.210, F17.211,                  F17.213, F17.218, F17.219, F17.220, F17.221, F17.223,                  F17.228, F17.229, F17.290, F17.291,                  F17.293, I25.10, I25.110, I25.111, I25.118, I25.119,                  I25.700, I25.701, I25.708, I25.709, I25.710, I25.711,                  I25.718, I25.719, I25.720, I25.721, I25.728, I25.729,                  I25.730, I25.731, I25.738, I25.739, I25.750, I25.751,                  I25.758, I25.759, I25.760, I25.761, I25.768, I25.769,                  I25.790, I25.791, I25.798, I25.799, I25.810, I25.811,                  I25.812, N262., O10.02, O10.03, O10.12, O10.13,                  O10.22, O10.23, O10.32, O10.33, O10.42, O10.43,                  O10.92, O10.93, O24.419, O24.429, O24.439,                  O99.810, O99.814, O99.815, R73.01, R73.02, R73.03,                  R73.09, R73.9, Z68.25, Z68.26,                  Z68.27, Z68.28, Z68.29, Z68.30, Z68.31, Z68.32,                  Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38,                  Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45,                  Z72.0, Z86.32) and CPT codes (G0447, G0473,                  0403T, 0488T). Added language to reflect that DX                  codes E78.2, E78.3, E78.41, E78.49, E78.5, E78.6 &amp;                  E88.81 are the only allowable DX codes for 97802,                  97803 &amp; 97804. Added Rev Codes 0520, 0521, 0523,                  0529. Updated age to reflect 18 to 999 yrs to align                  with task force age range change.                  Hepatitis C Virus-Added DX codes Z00.00 &amp; Z00.01.                  Removed Dx Code N/A.                  High Blood Pressure Screening-Removed DX codes                  Z00.00 &amp; Z00.01. Added DX code R03.0. Lung                  Cancer-Added new CPT code 71271, removed                  G0297 (deleted 1/2021)                  Obesity in Children and Adolescents-Removed DX</p>	
--	--	--

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

	<p>code Z13.89-too vague                  Osteoporosis Screening-Added CPT codes 0554T, 0555T, 0556T, 0557T. Prostate CA Screening-updated age range to reflect 40-999 yrs                  Tobacco Use in Children-updated age to reflect 5 to 999 yrs.                  Weight Loss Adults-Updated the language to reflect Task Force recommendations (breakout of criteria from Healthful Diet category). Updated the age to reflect 18 and older.                  Added several DX codes (E66.01, E66.09, E66.1, E66.2, E66.8, E66.9, O99.210, O99.211, O99.212, O99.213, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45) and CPT codes (99385, 99386, 99387, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, G0447, G0473) to reflect new criteria. Added Rev Codes 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529. Updated age range to reflect 18 – 999 yrs based on the code changes-criteria change by task force.                  Immunizations-Added CPT codes 90476, 90477, 90667, 90689, 90694</p>	
<p>12/29/2021</p>	<p>Cervical Cancer/HPV Screening – updated age to reflect 12 to 65 years of age, updated intervals to reflect 1 every 3 years for all codes, added DX codes Z00.121, Z00.129, Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.2, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z71.7, Z72.89, Z77.21, Z77.9, Z791.89, Z86.001                  Hepatitis B – added revenue codes 0300, 0301, 0302, 0306, 0309, 0390, 0770 to CPT code G0499 and 36415, added DX code Z00.121, Z00.129, Z11.4, Z20.2, Z20.5, Z20.9.                  Hepatitis C – added DX codes Z11.3, Z20.6, Z20.2, Z20.5, Z72.51, Z72.52, Z72.53, Z11.59 to several CPT codes.                  HIV – Updated age to reflect 0-999 Yrs, added CPT codes 80081, 87534, 87535, 87536, 87537, 87538, 87539, 86689, 86701, 86702, 86703, 87389, 87390, 87391, 96372, J3490, added DX code Z71.7, Z77.21, Z20.5, Z72.51, Z72.52, added revenue code 0770, removed DX code Z22.8 and Z22.9-not appropriate. PrEP - added CPT code 96372 and</p>	<p>Administrative Review</p>

## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

	<p>J3490, added  DX cod Z71.7, added revenue code 0770, removed DX code Z22.8 and Z22.9-not appropriate.  STI/STD – removed DX code Z71.89, added DX codes Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.5, Z20.6, Z20.9, Z72.89, Z77.21, Z77.9, added revenue code 0770</p>	
2/26/2022	<p>Alcohol Misuse – Added DX code Z81.3, added revenue codes 0770, updated intervals, removed DX code Z11.20 with G0396 and G0397-not appropriate for category. Anemia— updated age to reflect 0 to 19 years of age, per legal, added Revenue code 0770. Asymptomatic Bacteriuria – added revenue code 0770</p> <p>Autism Screening – added DX codes G93.40, G93.9, R29.898 per Bright Futures, added revenue code 0770</p> <p>BRCA – Added DX codes Z80.8, Z80.0, Z80.42, Z80.49, Z80.51, Z85.07, Z85.46, Z85.520, Z15.03, Z15.04, Z86.000, added revenue code 0770, updated age for 0138U to reflect 0-999 yrs. Breast Cancer (Chemoprevention) – Added revenue code 0770  Breast Cancer (Mammogram) – Added revenue code 0770.</p> <p>Cervical CA/HPV screening – interval update for HPV codes 87623, 87624, 87625, G0476, 0500T (missed by FACETS in Dec 29, 2021 implementation), age update, added revenue codes 0500, 0509</p> <p>Chlamydia – Added DX codes Z11.4, Z11.59, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z71.7, Z72.89, Z77.21, Z77.9, added revenue code 0301, 0302, 0305, 0770.</p> <p>Colorectal cancer screening— updated intervals, removed DX codes Z00.00, Z00.01, Z01.411, Z01.419, 88305 adjusted to reflect modifier 33 and PT only, added revenue codes 0361, 0369, 0499, 0761, 0769, 0770.</p> <p>Contraception – Added CPT codes 58661, 58700, J7294 and J7295-per medical directors. Depression – Added CPT code S3005, added revenue code 0770. Screening for Prediabetes and Type 2 DM – added DX codes E66.2, E66.3, E66.8, E66.9,</p>	Administrative Review

## 1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>Z83.3, Z13.1, Z86.32, , Z86.32, R73.01, R73.02, R73.03, R73.09, R73.9, E28.2, added CPT code 82947, added revenue code 0770, removed DX code O99.810 not appropriate for category. Fall Prevention- Added revenue code 0770. Gestational Diabetes – Updated age to reflect 12 to 999 yrs for DX Pregnancy DX table, added DX code Z86.32, added CPT code 82950. Gonorrhea – Added CPT codes 87660, 87661, and 87808, added revenue code 0770. Hep B Screening – Added DX codes Z20.2, Z20.5 to non-pregnant criteria Hep C Screening – Added DX code Z72.89, Z00.00 and Z00.01 to CPT code 86803 Hearing Loss Screening – Added CPT code 92652. Intimate Partner – Updated age to reflect 0999 Yrs for DX code Z01.411 and Z01.419 with CPT code 99403 and 99404 revenue code 0528. Lead Screening – updated age to reflect 0-19 Yrs, per Legal. Obesity in Children and Adolescents: Screening– Added revenue code 0515 to DX codes Z68.53 and Z68.54 for CPT code 99383. Prevention of Dental Caries – Added revenue code 0770. Rh (D) – updated age to reflect 12-999 Yrs for Pregnancy DX code with CPT code 36415 with revenue code 0300 Sexually Transmitted Infection – Updated age to reflect 0-999 Yrs for DX code Z20.2 with CPT code 99402, 99403, 99404, added revenue code 0770. Screening for Diabetes Mellitus After Pregnancy – added category, added DX codes Z13.1, Z86.32, O99.815, R73.01, R73.02, R73.03, R73.09, added CPT codes 82946, 82947, 82948, 82950, 82951, 82952, 83036, 36415, added Revenue codes 0300, 0301, 0309, 0770 Syphilis Infection Screening – Added DX codes Z11.4, Z11.59, Z20.5, Z20.6, Z20.9, Z57.8, Z71.7, Z77.21, Z77.9 Tobacco Screening – Updated age to reflect 5-999 Yrs, added revenue code 0770, removed DX code Z00.121 and Z00.129 for CPT code 99406 and 99407 Unhealthy Drug – Added revenue code 0770 Immunization – Added Rabies vaccines 90671, 90675, 90676, added Hepatitis B new code 90759.</p>	
--	---	--

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

8/6/2022	Breast Cancer (Mammogram) – removed intervals for the add on code 77063	Administrative Review
9/28/2022	<p>Adverse Childhood – New category – added DX codes Z59.41, Z59.48, Z59.811, Z59.812, Z59.819, Z62.21, Z62.22, Z62.810, Z62.811, Z62.812, Z62.813, Z62.819, Z62.820, Z62.821, Z62.822, Z63.0, Z63.31, Z63.32, Z63.4, Z63.5, Z63.71, Z63.72, Z63.79, Z63.8, Z63.9, Z64.0, Z64.1, Z65.0, Z65.4, Z65.5, Z69.010, Z69.020, Z69.11, Z69.81, Z72.51, Z72.52, Z72.53, Z81.1, Z81.3, Z81.4, Z81.8, Z86.51, Z86.59, Z91.42, Z91.49, Z91.51, Z91.52 and procedure codes G9919, G9920, added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0918</p> <p>Anemia – updated age to reflect 0-19 yrs, added revenue codes 0301, 0306, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770</p> <p>Autism Screening/Development–added revenue codes 0500, 0509, 0522</p> <p>Hepatitis B Virus – NonPregnant – updated age to reflect 0-999 yrs on CPT code 86704, 86705, 86706, 87340, 87341, and G0499 for DX code Z11.3</p> <p>Hepatitis B Virus – Pregnant – updated age to reflect 0-999 yrs. for DX code pregnancy on CPT code 36415</p> <p>Human Immunodeficiency Virus (HIV) – added CPT code 87806, added revenue codes 0500, 0509, 0522</p> <p>PrEP – added CPT code 96372, J3490, added revenue codes 0500, 0509, 0522</p> <p>Intimate Partner Violence – updated age on revenue code 0528</p> <p>Lipid Screening- updating age to reflect 40-75 yrs.</p> <p>Obesity in Children – updated age to reflect 618 yrs.</p> <p>Obesity Preventive in Midlife Women – new category – added DX codes Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, added CPT codes 99401, 99402, 99403, 99404, 99411, 99412, 99386, 99396, added revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770</p>	Administrative Review



## 1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>Newborn Screening (Phenylketonuria (PKU) – corrected age to reflect 28 days and younger on DX code Z13.228 (Sickle Cell Disease) – corrected age to reflect 28 days and younger on DX codes Z00.110, Z00.111, Z13.0</p> <p>Prevention of Dental Caries – updated age to reflect 6 months to 5 yrs. for DX code Z29.3 with CPT code 99188, added dx codes Z00.121 and Z00.129.</p> <p>Prostate Cancer – updated age to reflect 40-999 yrs.</p> <p>Screening for Lung Cancer – updated age to reflect 50-80 yrs. on procedure code G0296 for DX code Z12.2, Z87.891</p> <p>Sexually Transmitted Infections/ Diseases (STI/STD) – updated age to reflect 0-999 yrs., added revenue codes 0500, 0509, 0522</p> <p>Syphilis Infection – updated age to reflect 0-999 yrs., added revenue codes 0500, 0509, 0510, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0529, removed DX code Z71.7, removed revenue code 0311</p> <p>Tobacco Use in Children – updated age to reflect 5 to 18 yrs., added revenue codes 0500, 0509, 0522</p> <p>Tobacco Smoking Cessation – updated age to reflect 18-999 yrs. on non-pregnant individuals, added revenue codes 0500, 0509, 0522</p> <p>Latent Tuberculosis – updated age to reflect 0- 999 yrs., added revenue codes 0500, 0509 Unhealthy Drug Use – added DX code Z71.51, added revenue codes 0500, 0509, 0522</p> <p>Visual in Children – updated age to reflect 3-999 yrs., added revenue codes 0500, 0509, 0514, 0770</p> <p>Weight loss to prevent obesity – added revenue codes 0500, 0509, 0522</p>	
--	---	--



## 1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

10/26/2022	<p>BRCA – Added revenue codes 0500, 0509, 0522, 0780</p> <p>Chlamydia/Gonorrhea – Added CPT codes 86631, 86632, 87800, added revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529</p> <p>Depression Adults – Updated language to reflect suicide risk screening, added DX codes Z91.51, Z91.52, added revenue codes 0500, 0509, 0522</p> <p>Depression Children - Updated language to reflect suicide risk screening, added DX codes Z91.51, Z91.52, added revenue codes 0500, 0509, 0522</p> <p>Perinatal Depression – Added DX codes Z13.31, Z13.32, added revenue codes 0500, 0509, 0522, 0780</p> <p>Healthful Diet – Added revenue codes 0500, 0509, 0522, 0780, verified that all coding reflected age 18 yrs. and older</p> <p>Hepatitis C – Added revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, updated age for Preg Dx to 12 yrs. and older</p>	Administrative Review
11/30/2022	<p>Breast CA (Chemoprevention)– Added revenue codes 0500, 0509, 0522, 0780</p> <p>Development Screening-Language updated to reflect Social, Emotional screening, added DX codes Z13.40, Z13.41, Z13.42, Z13.49, F88, F81.9, F89, G93.40, G93.9, R27.0, R27.8, R27.9, R62.0, R29.6, R29.818, R29.898, R29.90, R29.91 to procedure code 96127, revenue codes 0760, 0761</p> <p>Fall Prevention-Added revenue codes 0500, 0509, 0522</p> <p>Healthy Weight Pregnancy-Added revenue codes 0500, 0509, 0522, 0780</p> <p>Hearing Loss-Added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529</p> <p>Obesity Preventive Midlife-New category added language, added DX codes Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, added procedure codes 99401, 99402, 99403, 99404, 99411, 99412, 99386, 99396, added revenue codes 0500,</p>	Administrative Review

**1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]**

	<p>0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780</p> <p>Osteoporosis-added procedure codes 0743T, 0749T, 0750T</p> <p>Statin Use for CVD-added revenue code 0770</p> <p>Sudden Cardiac-New category-added language, added DX codes G71.00, I10, I20.0, I20.1, I20.8, I20.9, I34.0, I42.0, I42.1, I42.2, I42.5, I42.8, I42.9, I47.0, I47.1, I47.2, I47.9, I48.20, I49.01, I49.02, Q20.8, Q20.9, Q23.0, Q87.40, Q87.410, Q87.418, Q87.89, R00.0, R00.1, R00.2, R00.8, R00.9, R01.0, R01.1, R01.2, R03.0, R06.00, R06.02, R06.03, R06.09, R06.9, R07.1, R07.2, R07.82, R07.89, R07.9, R53.1, R55, Z13.6, Z14.8, Z15.89, Z36.83, Z79.01, Z79.52, Z82.41, Z82.49, Z82.69, Z83.42, Z84.81, Z84.89, Z86.74, Z86.79, Z95.0, added procedure codes 96160, 93000, 93005, 93010, added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770, 0985</p> <p>Tobacco-added revenue code 0780</p> <p>Vision – age updated to reflect 3-999 yrs</p> <p>Weight Loss To Prevent Obesity-Added revenue code 0780</p>	
<p>February 8, 2023</p>	<p>Breastfeeding-Added counseling procedure codes 99401, 99402, 99403, 99404 with DX code Z39.1 and revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780</p> <p>Chlamydia/Gonorrhea-Removed revenue code 0522</p> <p>Healthful Diet CVD-Added revenue code 0780</p> <p>Intimate Partner Violence-Added DX code Z91.414, added revenue code 0780</p> <p>Obesity In Children-Added revenue code 0780</p> <p>Prevention of Dental Caries-Added DX codes Z00.121, Z00.129, added revenue codes 0500, 0509, 0510, 0512, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770, 0982, 0983</p> <p>STI/STD-Added revenue code 0780</p> <p>Immunization-Added 90587</p> <p>Vision – age update to reflect 0-21 years</p>	<p>Administrative Review</p>





## 1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

8/30/2023	<p>Depression in Adults-Title updated to reflect “Depression and Suicide Risk in Adults: Screening”, language added “Clinicians should screen for major depression disorder in individuals who do not have a diagnosed mental health disorder or recognizable signs or symptoms of depression or suicide risk”</p> <p>Screening for Anxiety-language added “Conditions reviewed should include generalized anxiety disorder, social anxiety disorder, panic disorder, and anxiety not otherwise specified”.</p> <p>Screening for Diabetes in Pregnancy-added rev codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529</p> <p>Screening for Diabetes After Pregnancy added rev codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529</p> <p>Screening for Prediabetes and Type 2 Diabetes Mellitus-added rev codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0780</p>	Administrative Review
11/1/2023	<p>Contraception – Added DX codes T83.31XA, Administrative Review T83.31XD, T83.31XS, T83.32XA, T83.32XD, T83.32XS, T83.39XA, T83.39XD, T83.39XS, added procedure codes A4267, S0190, S0191, 0567T, 0568T, 76856, 81025, removed procedure code J7303, added rev codes 0307, 0500, 0509, 0780</p> <p>Healthful Diet – added DX codes E20.810, E88.811, E88.818, E88.819, added rev codes 0515, 0761, 0769</p> <p>Intimate Partner Violence – Added DX codes Z91.414, Z91.A41, Z91.A48, Z91.A51, A91.A58, A91.A91, A91.A98, added rev codes 0500, 0509, 0522</p>	Administrative Review





## 1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

	<p>CPT codes            99241,99242,99243,99244,99245. Added CPT codes            99384, 99385, 99386, 99387, 99394, 99395, 99396,            9939. Added DX codes Z86.000, D24.1, D24.2, D24.9,            N60.01, N60.02, N60.09, N60.11,            N60.12, N60.19, N60.21, N60.22,            N60.29, N90.31, N60.32, N60.39, N6041, N60.42,            N60.49, N60.81, N60.82, N60.89, N60.91, N60.92,            N60.99. Added REV codes 0760, 0761, 0769.</p>	
5/29/2024	<p>Combined these three categories-Obesity in            Children and Adolescents, Weight Loss to            Preventive Obesity in Adults, Obesity Prevention in            Midlife Woman            Removed CPT codes- 99383, 99384, 99393, 99394,            99401, 99402, 99403, 99404.            Removed Dx code Z00.121, Z00.129            Added DX code E66.01, E66.09, E66.1, E66.2, E66.3,            Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25,            Z68.26, Z68.27, Z68.28, Z68.29, Z68.30, Z68.31, Z68.32,            Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38,            Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, Z68.54            Added REV codes 0760, 0761, 0769.            Osteoporosis screening- Removed CPT codes            77078, 78350, 78351, 0554T, 0555T, 0557T, 0749T, 0750T.            Added codes G0130.            Unhealthy Drug Use-Added DX codes F11.10,            F12.10, F13.10, F13.90, F15.90, F16.90            Removed DX codes- O99.324 and O99.325            Added procedure codes, G0396, G0397, G2011            Removed procedure codes 99401, 99402, 99403,            99404.            Added REV codes 0760, 0761, 0769.</p>	Administrative Review







## **1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]**

**The materials provided to you are guidelines used by this plan to authorize, modify, or deny care for persons with similar illness or conditions. Specific care and treatment may vary depending on individual need and the benefits covered under your contract. These Policies are subject to change as new information becomes available.**